

# *Log Max*

## 6000V

### Spare part manual



[www.logmax.com](http://www.logmax.com)

Ver. 1.5

Log Max 6000V  
Spare part manual

---



---

Stationsvägen 12 - 77013 Grangärde - SWEDEN  
Phone: +46 240 59 11 00  
[info@logmax.com](mailto:info@logmax.com) [www.logmax.com](http://www.logmax.com)

---

**Applies to serial number: 161293-**

# Contents

<b>Frame and protection .....</b>	<b>13</b>
Frame with protective cover.....	15
Frame.....	17
Protective cover .....	19
Cover.....	21
Filling cap .....	23
Damped protective plate.....	25
Fixed protective plate.....	27
<b>Delimbing unit .....</b>	<b>29</b>
Upper delimbing knife, assembly.....	31
Upper delimbing knife, standard .....	33
Upper delimbing knife, welded .....	35
Upper delimbing knife, welded. Replaceable knife blade .....	37
Hydraulic upper delimbing knife .....	39
Hydraulic cylinder .....	41
Left and right delimbing knifes, assembly.....	43
Left and right delimbing knifes, standard .....	45
Left delimbing knife, standard.....	47
Right delimbing knife, standard .....	49
Left and right delimbing knifes, processor.....	51
Left delimbing knife, processor.....	53
Right delimbing knife, processor .....	55
Hydraulic cylinder .....	57
Rod kit .....	59
Lower delimbing knife, assembly.....	61
Lower delimbing knife, standard .....	63
Lower delimbing knife .....	65
Lower delimbing knife, processor.....	67
Hydraulic cylinder .....	69
Rod kit .....	71
Cylinder cover.....	73
<b>Feeding unit.....</b>	<b>75</b>
Feed roller arms, assembly .....	77
Left feed roller arm .....	81
Right feed roller arm.....	83
Feed roller arms cover.....	85
Feed roller motors 627 ccm .....	87
Feed roller motors 780 ccm .....	89
Feed roller motors 857 ccm .....	91
Feed roller motors 934 ccm .....	93
Hydraulic cylinder.....	95
Rod kit .....	97
Cylinder cover.....	99
Feed rollers V-Steel Soft Grip .....	101
Feed roller V-Steel Soft Grip .....	103

Feed rollers V-Steel Hard Grip .....	105
Feed roller V-Steel Hard Grip .....	107
Feed rollers Eucalyptus .....	109
Feed roller Eucalyptus .....	111
<b>Measuring .....</b>	<b>113</b>
Diameter measuring unit .....	115
Encoder .....	117
Length measuring, assembly .....	119
Shaft .....	121
Length measuring arm, Log Mate 510 and Forester .....	123
Length measuring arm, Interface .....	125
Hydraulic cylinder .....	127
4 point measuring .....	129
Delimbing knife .....	131
Measuring unit, feed roller engine .....	133
<b>Felling unit .....</b>	<b>135</b>
Felling link, assembly .....	137
Felling link, standard .....	139
Felling link, standard .....	141
Felling link, reinforced .....	143
Felling link, reinforced .....	145
Felling link, molded .....	147
Felling link, molded .....	149
Chain holder .....	151
Hydraulic cylinder .....	153
Rod kit .....	155
<b>Saw unit .....</b>	<b>157</b>
Hydraulics saw unit 218 F11-19 .....	159
Saw unit 218 F11-19 .....	163
Hydraulics saw unit 218 True-Cut .....	165
Saw unit 218 True-Cut .....	169
Hydraulics saw unit 318 F11-19 .....	171
Saw unit 318 F11-19 .....	175
Hydraulics saw unit 318 True-Cut .....	177
Saw unit 318 True-Cut .....	181
Hydraulics saw unit 318 F12-30 .....	183
Saw unit 318 F12-30 .....	187
Saw motor F11-19, assembly .....	189
Saw motor F11-19 .....	191
Saw motor True-Cut, assembly .....	193
Saw motor True-Cut .....	195
Saw motor F12-30, assembly .....	197
Saw motor F12-30 .....	199
Saw unit 218 .....	201
Saw bar bracket 218 .....	203
Saw unit 318-02 .....	205
Saw bracket 318-02 .....	207
Saw bar holder 02 .....	209
Saw unit 318-04 .....	211

Saw bar bracket 318-04 .....	213
Saw bar holder 04 .....	215
Saw 218 F11-19 saw bar and saw chain .....	217
Saw 318 F11-19 saw bar and saw chain .....	219
Saw 218 True-Cut saw bar and saw chain .....	221
Saw 318 True-Cut saw bar and saw chain .....	223
Saw 318 F12-30 saw bar and saw chain.....	225
Bearing unit.....	227
Manifold, assembly .....	229
Manifold .....	231
Saw valve.....	233
Manifold .....	235
Manifold .....	237
Saw sensors .....	239
Easy Greasy .....	241
Easy Greasy pump.....	243
Grease lubrication.....	245
Hydraulic cylinder.....	247
<b>Rotators .....</b>	<b>249</b>
Indexator AV17S .....	251
Hose guard.....	253
Indexator H182D.....	255
HX30 LS .....	257
<b>Accessories .....</b>	<b>259</b>
Multi stemming unit.....	261
Manifold.....	265
Multi stemming unit with rotator control .....	267
Manifold.....	271
Pressure reducer valve.....	273
Hydraulic cylinder.....	275
Rod kit .....	277
Color marking, assembly .....	279
Color tank, assembly.....	281
Color pump, assembly .....	283
Color pump .....	285
Directional valve .....	287
Color marking manifold, assembly .....	289
Color marking manifold.....	291
Filling cap, red.....	293
Filling cap, blue .....	295
Rotator control .....	297
Rotator control, HX30 .....	299
Rotator control, standard felling unit, HX30.....	301
Rotator control, reinforced felling unit, HX30 .....	303
Rotator control, molded felling unit, HX30 .....	305
Protection .....	307
Find End kit.....	309
Find End.....	311
Hose holder, reinforced felling link.....	313

Hose holder, molded felling link .....	315
Hose holder .....	317
Hose holder, Komatsu with interface .....	319
Hose holder, Ecolog.....	321
Hose holder, Rottne .....	323
Rubber cover .....	325
Saw dust cover .....	327
Heavy duty kit .....	329
Heavy duty kit, color marking.....	331
Stump treatment saw 218.....	333
Stump treatment saw 318.....	335
Protective bar .....	337
Tool kit.....	339
<b>Hydraulic system .....</b>	<b>341</b>
Hydraulic, assembly.....	343
Right manifold, assembly.....	347
Right manifold.....	349
Inlet manifold .....	351
Lower delimiting knife section .....	353
Feed section .....	355
Feed section .....	357
Delimiting knife section.....	359
Feed reducer .....	361
Relief valve 330 bar .....	363
Reducer valve.....	365
Compensator kit .....	367
Compensator kit .....	369
Relief valve 125 bar .....	371
Cap EC/PC .....	373
Cap EC/A036.....	375
Solenoid.....	377
Relief valve 280 bar .....	379
Relief valve 320 bar .....	381
Right manifold, low pressure control.....	383
Lower delimiting knife section, low pressure .....	385
Left manifold, assembly .....	387
Directional valve .....	389
Directional valve .....	391
Directional valve .....	393
Check valve .....	395
Pressure reducer valve 190 bar .....	397
Check valve .....	399
Pressure reducer valve .....	401
Manifold.....	403
<b>Control system .....</b>	<b>405</b>
Log Mate 510.....	407
Log Mate 510 cable list .....	409
Dasa Forester.....	413
Dasa Forester cable list .....	415

Interface .....	419
Interface cable list .....	421
<b>Hose kits .....</b>	<b>425</b>

Log Max 6000V  
Spare part manual

---




= requires special instructions from Log Max AB

Log Max 6000V  
Spare part manual


---

## Frame and protection




## Frame with protective cover

Structure 043504				
Pos.	Part no.	Quantity	Description	Specification
1	011537	2	Hex plug	1 1/4"
2	013969	1	Filler cap	
3	015037	1	Breather valve	
4	015351	1	Filter	
5	015642	2	Magnetic plug	1/2"
6	018203	1	Hose leader	
7	043500	1	Frame	
8	043506	1	Protective cover	
9	505083	11	Screw	M10x20 10.9
10	601103	2	Bonded seal	1/2"
11	517238	1	Circlip	45
12	503075	11	Washer	NL10 sp
13	519176	1	Decal	
14	500091	3	Screw	M12x30 8.8 FZB
15	601200	1	Copper seal	12x19x1,5
16	503076	3	Washer	NL12 sp
17	601750	1	Adapter	BSP 1/4"-9/16" ORFS
18	018196	1	Cover	
19	648026	1	Bleed hose	
20	018192	1	Cover	




## Frame

Structure 043500				
Pos.	Part no.	Quantity	Description	Specification
1	512028	2	Bushing	60x40
2	625000	4	Grease nipple	1/8"




## Protective cover

Structure 043506				
Pos.	Part no.	Quantity	Description	Specification
1	012845	2	Rubber damper	
2	014377	1	Rubber damper	
3	519085	4	Overcentre latch	
4	519140	1	Decal	
5	519141	1	Decal	
6	500022	8	Screw	M6x14 8.8 FZB
7	503073	8	Washer	NL6 sp
8	500042	12	Screw	M8x16 8.8 FZB
9	503055	12	Washer	NL8
10	513042	2	Screw	M12x50
11	502056	2	Nut	M12
12	519175	4	Decal	
13	501095	2	Screw	M10x55 12.9
14	502055	2	Nut	M10




## Cover

Structure 043507				
Pos.	Part no.	Quantity	Description	Specification
1	018336	1	Cover	
2	503075	3	Washer	NL10 sp
3	505083	3	Screw	M10x20 10.9




## Filling cap

Structure 013969				
Pos.	Part no.	Quantity	Description	Specification
1	014369	1	Filling cap	
2	543028	1	O-ring	44,04x3,53



## Damped protective plate

Structure 043510				
Pos.	Part no.	Quantity	Description	Specification
1	018206	1	Protective plate	
2	017856	8	Screw	M12x50
3	018058	16	Spherical washer	M12
4	502056	8	Nut	M12
5	524025	26	Rubber spring	




## Fixed protective plate

Structure 043511				
Pos.	Part no.	Quantity	Description	Specification
1	018208	1	Protective plate	
2	501087	8	Screw	M10x20 12.9
3	018057	8	Spherical washer	M10




## Delimbing unit




## Upper delimiting knife, assembly

Structure 043522				
Pos.	Part no.	Quantity	Description	Specification
1	507017	2	Shim	56x89x1
2	016712	1	Threaded ring	M55
3	501070	1	Screw	M8x25
4	503055	1	Washer	NL8
5	017281	1	Plug	1 1/4"
6	502706	1	Nut	M16 FZB
7	017282	1	Screw	
8	526031	1	Spring	
9	016076	1	Sensor screw	
10	502701	1	Nut	M12x1,25 FZB
11	503018	1	Washer	25x45x4 FZB
12	502062	1	Nut	M24
13	018875	1	Washer	
14	401289	1	Sensor	
15	018395	1	Cover	
16	503065	4	Washer	NL6
17	500025	4	Screw	M6x25 8.8 FZB
18	015480	1	Shim	0,5
19	015481	1	Shim	1,0




## Upper delimiting knife, standard

Structure 043523				
Pos.	Part no.	Quantity	Description	Specification
1	047115	1	Delimiting knife	
2	505045	1	Screw	M24x80 10.9




## Upper delimiting knife, welded

Structure 043524				
Pos.	Part no.	Quantity	Description	Specification
1	049029	1	Delimiting knife	
2	505091	1	Screw	M24x90 10.9




## Upper delimiting knife, welded. Replaceable knife blade

Structure 049029				
Pos.	Part no.	Quantity	Description	Specification
1	017280	1	Knife blade	
2	519010	1	Blade guard	




## Hydraulic upper delimiting knife

Structure 043439				
Pos.	Part no.	Quantity	Description	Specification
1	013431	1	Bracket	
2	500081	1	Screw	M10x100 8.8 FZB
3	503057	5	Washer	NL10
4	500077	1	Screw	M10x70 8.8 FZB
5	515011	2	Cylindrical pin	12x30
6	500090	2	Screw	M12x25 8.8 FZB
7	503060	2	Washer	NL12
8	010170	2	Spacer	
9	502056	2	Nut	M12
10	018338	1	Bracket	
11	500066	1	Screw	M10x20 8.8 FZB
12	601750	3	Adapter	BSP 1/4" - 9/16" ORFS
13	601725	1	Adapter	90 1/4" - 9/16" ORFS
14	018337	1	Cover	
15	018360	1	Hydraulic cylinder	
16	013865	1	Manifold	
17	500074	2	Screw	M10x55 8.8 FZB
18	612057	1	Direction valve	
19	501033	4	Screw	M5x40 12.9
20	613031	1	Orifice	
21	502705	1	Nut	M16
22	503063	1	Washer	NL16
23	648027	1	Hydraulic hose	
24	648028	1	Hydraulic hose	
25	601001	1	Hex plug	1/4"




## Hydraulic cylinder

Structure 018360				
Pos.	Part no.	Quantity	Description	Specification
1	018360-KIT	1	Rod kit	
2	620003	1	Seal kit	
3	015220	1	Spherical bushing	
4	625004	1	Grease nipple	M6
5	517214	1	Circlip	




## Left and right delimiting knives, assembly

Structure 043525				
Pos.	Part no.	Quantity	Description	Specification
1	018990	2	Hydraulic cylinder	
2	013780	2	Pin	Ø60x354
3	013872	2	Washer	
4	601003	2	Hex plug	1/2"
5	507011	2	Shim	63x98x0,5
6	507012	2	Shim	63x98x1
7	010605	2	Pin	Ø32x79
8	503060	2	Washer	NL12
9	516002	4	Cotter pin	6,3x50
10	602030	4	Adapter	1/8"-3/8" BSP
11	625000	4	Grease nipple	1/8"
12	018025	1	Cover	
13	018026	1	Cover	
14	503075	8	Washer	NL10 sp
15	505084	8	Screw	M10x25 10.9
16	601754	4	Adapter	BSP 3/8"-11/16" ORFS
17	601757	2	Adapter	BSP 1/2"-11/16" ORFS
18	601736	2	Adapter	BSP 1/4"-9/16" ORFS
19	500092	2	Screw	M12x35 8.8 FZB
20	648039	1	Hydraulic hose	
21	648040	1	Hydraulic hose	
22	648041	1	Hydraulic hose	
23	648042	1	Hydraulic hose	
24	010604	2	Pin	Ø32x102




## Left and right delimiting knives, standard

Structure 043528				
Pos.	Part no.	Quantity	Description	Specification
1	043520	1	Delimiting knife	
2	043519	1	Delimiting knife	




## Left delimiting knife, standard

Structure 043520				
Pos.	Part no.	Quantity	Description	Specification
1	018345	1	Delimiting knife	
2	519010	1	Blade guard	0,6 m
3	512029	2	Bushing	60x60
4	625000	1	Grease nipple	1/8"




## Right delimiting knife, standard

Structure 043519				
Pos.	Part no.	Quantity	Description	Specification
1	018344	1	Delimiting knife	
2	519010	1	Blade guard	0,6 m
3	512029	2	Bushing	60x60
4	625000	1	Grease nipple	1/8"




## Left and right delimbing knives, processor

Structure 043529				
Pos.	Part no.	Quantity	Description	Specification
1	043516	1	Delimbing knife	
2	043517	1	Delimbing knife	




## Left delimiting knife, processor

Structure 043517				
Pos.	Part no.	Quantity	Description	Specification
1	018573	1	Delimiting knife	
2	519010	1	Blade guard	0,66 m
3	512029	2	Bushing	60x60
4	625000	1	Grease nipple	1/8"




## Right delimiting knife, processor

Structure 043516				
Pos.	Part no.	Quantity	Description	Specification
1	018576	1	Delimiting knife	
2	512029	2	Bushing	60x60
3	625000	1	Grease nipple	1/8"
4	519010	1	Blade guard	0,66 m




## Hydraulic cylinder

Structure 018990				
Pos.	Part no.	Quantity	Description	Specification
1	10000251	1	Rod kit	
2	510050	1	Spherical bushing	GEEW32-ES
3	517245	1	Circlip	SGH52




## Rod kit

Structure 10000251				
Pos.	Part no.	Quantity	Description	Specification
1	10000241	1	Seal kit	
2	510050	1	Spherical bushing	GEEW32-ES
3	517245	1	Circlip	SGH 52




## Lower delimiting knife, assembly

Structure 043530				
Pos.	Part no.	Quantity	Description	Specification
1	507012	1	Shim	63x98x1
2	507011	1	Shim	63x98x0,5
3	012586	1	Pin	Ø32x86
4	516002	2	Cotter pin	6,3x50
5	602030	2	Adapter	BSP 1/8"-3/8"
6	013729	1	Pin	Ø32x90
7	625000	1	Grease nipple	1/8"
8	018060	1	Adapter	1/8"
9	601100	1	Bonded seal	1/8"
10	601203	4	Copper seal	10x14x1
11	601701	2	Banjo screw	1/8"
12	648031	1	Hydraulic hose	
13	601754	2	Adapter	BSP 3/8"-11/16" ORFS
14	648032	1	Hydraulic hose	
15	648033	1	Hydraulic hose	
16	601757	2	Adapter	BSP 1/2"-11/16" ORFS
17	018997	1	Hydraulic cylinder	




## Lower delimiting knife, standard

Structure 043532				
Pos.	Part no.	Quantity	Description	Specification
1	017394	1	Pin	Ø60x257
2	016069	1	Threaded ring	M55
3	501070	1	Screw	M8x25 12.9
4	503055	1	Washer	NL8
5	601003	1	Hex plug	1/2"
6	043015	1	Delimiting knife	




## Lower delimiting knife

Structure 043015				
Pos.	Part no.	Quantity	Description	Specification
1	015251	1	Delimiting knife	
2	512029	2	Bushing	60x60
3	625000	1	Grease nipple	1/8"
4	519010	1	Blade guard	0,93 m




## Lower delimiting knife, processor

Structure 043534				
Pos.	Part no.	Quantity	Description	Specification
1	043518	1	Delimiting knife	
2	017394	1	Pin	Ø60x257
3	016069	1	Threaded ring	M55
4	501070	1	Screw	M8x25 12.9
5	503055	1	Washer	NL8
6	601003	1	Hex plug	1/2"




## Hydraulic cylinder

Structure 018997				
Pos.	Part no.	Quantity	Description	Specification
1	510050	1	Spherical bushing	GEEW32-ES
2	517245	1	Circlip	SGH52
3	10000481	1	Rod kit	



## Rod kit

Structure 10000481				
Pos.	Part no.	Quantity	Description	Specification
1	10000480	1	Seal kit	
2	510050	1	Spherical bushing	GEEW32-ES
3	517245	1	Circlip	SGH 52




## Cylinder cover

Structure 043536				
Pos.	Part no.	Quantity	Description	Specification
1	012120	1	Cover	
2	502055	1	Nut	M10
3	500079	1	Screw	M10x80 8.8 FZB




# Feeding unit




## Feed roller arms, assembly

Structure 043550				
Pos.	Part no.	Quantity	Description	Specification
1	018389	2	Clamp	
2	501067	4	Screw	M8x16 12.9
3	018218	2	Pin	Ø60x281
4	016069	2	Threaded ring	M55
5	012586	4	Pin	Ø32x86
6	602030	4	Adapter	1/8"-3/8"
7	625000	4	Grease nipple	1/8"
8	507011	2	Shim	63x98x0,5
9	507012	2	Shim	63x98x1
10	516002	4	Cotter pin	6,3x50
11	013872	2	Washer	
12	503060	2	Washer	NL12
13	601003	2	Hex plug	1/2"
14	016878	2	Clamp	3/8"
15	501073	2	Screw	M8x40 12.9
16	503055	8	Washer	NL8
17	10001036	1	Right feed roller arm	
18	10001034	1	Left feed roller arm	
19	500092	2	Screw	M12x35 8.8 FZB
20	018997	2	Hydraulic cylinder	
21	014377	2	Rubber damper	
22	500024	8	Screw	M6x20 8.8 FZB
23	503073	8	Washer	NL6 sp
24	601754	9	Adapter	BSP 3/8"-11/16" ORFS
25	601764	2	Adapter	3/4"-11/16" ORFS
26	648045	1	Hydraulic hose	
27	648046	1	Hydraulic hose	
28	648047	1	Hydraulic hose	
29	648048	1	Hydraulic hose	
30	648049	1	Hydraulic hose	
31	601777	4	Adapter	1"- 1 1/16" ORFS
32	601773	1	Adapter	11/16" ORFS
33	648050	1	Hydraulic hose	




Structure 043550				
Pos.	Part no.	Quantity	Description	Specification
34	648051	1	Hydraulic hose	
35	648052	1	Hydraulic hose	
36	615051		Hose cover	2"
37	013805	3	Adapter	1/2"
38	601759	4	Adapter	BSP 1/2"-1" ORFS
39	601103	3	Bonded seal	1/2"
40	648053	1	Hydraulic hose	
41	648054	1	Hydraulic hose	
42	648055	1	Hydraulic hose	
43	500132	20	Screw	M16x45 8.8 FZB
44	503063	20	Washer	NL16
45	502718	12	Nut	M18x1,5 FZB
46	610221	1	Accumulator	0,5l 85bar
47	601768	1	Adapter	BSP 3/4"-11/16" ORFS
48	501070	2	Screw	M8x25 12.9
49	016072	1	Bracket	3/8"
50	601061	1	Banjo screw	3/8"
51	601102	2	Bonded seal	3/8"
52	601726	1	Adapter	90° 11/16" ORFS




## Left feed roller arm

Structure 10001034				
Pos.	Part no.	Quantity	Description	Specification
1	10001021	1	Feed roller arm	
2	512029	1	Bushing	60x60
3	512028	1	Bushing	60x40
4	625000	1	Grease nipple	1/8"
5			Glue	603




## Right feed roller arm

Structure 10001036				
Pos.	Part no.	Quantity	Description	Specification
1	10001022	1	Feed roller arm	
2	512029	1	Bushing	60x60
3	512028	1	Bushing	60x40
4	625000	1	Grease nipple	1/8"
5			Glue	603




## Feed roller arms cover

Structure 043551				
Pos.	Part no.	Quantity	Description	Specification
1	014913	2	Cover	
2	503060	8	Washer	NL12
3	500090	8	Screw	M12x25 8.8 FZB




## Feed roller motors 627 ccm

Structure 043554				
Pos.	Part no.	Quantity	Description	Specification
1	609141	2	Feed roller motor	627 ccm




## Feed roller motors 780 ccm

Structure 043579				
Pos.	Part no.	Quantity	Description	Specification
1	609069	2	Feed roller motor	780 ccm




## Feed roller motors 857 ccm

Structure 043553				
Pos.	Part no.	Quantity	Description	Specification
1	609142	2	Feed roller motor	857 ccm




## Feed roller motors 934 ccm

Structure 043555				
Pos.	Part no.	Quantity	Description	Specification
1	609143	2	Feed roller motor	934 ccm




## Hydraulic cylinder

Structure 018997				
Pos.	Part no.	Quantity	Description	Specification
1	510050	1	Spherical bushing	GEEW32-ES
2	517245	1	Circlip	SGH52
3	10000481	1	Rod kit	




## Rod kit

Structure 10000481				
Pos.	Part no.	Quantity	Description	Specification
1	10000480	1	Seal kit	
2	510050	1	Spherical bushing	GEEW32-ES
3	517245	1	Circlip	SGH 52




## Cylinder cover

Structure 043552				
Pos.	Part no.	Quantity	Description	Specification
1	012120	2	Cover	
2	502055	2	Nut	M10
3	500079	2	Screw	M10x80 8.8 FZB




## Feed rollers V-Steel Soft Grip

Structure 043592				
Pos.	Part no.	Quantity	Description	Specification
1	018248	2	Feed roller	




## Feed roller V-Steel Soft Grip

Structure 018248				
Pos.	Part no.	Quantity	Description	Specification
1	016638	44	Bar	




## Feed rollers V-Steel Hard Grip

Structure 043594				
Pos.	Part no.	Quantity	Description	Specification
1	018249	2	Feed roller	




## Feed roller V-Steel Hard Grip

Structure 018249				
Pos.	Part no.	Quantity	Description	Specification
1	016812	44	Bar	



## Feed rollers Eucalyptus

Structure 043596				
Pos.	Part no.	Quantity	Description	Specification
1	018250	2	Feed roller	




## Feed roller Eucalyptus

Structure 018250				
Pos.	Part no.	Quantity	Description	Specification
1	015776	24	Bar	




# Measuring




## Diameter measuring unit

Structure 043563				
Pos.	Part no.	Quantity	Description	Specification
1	018391	1	Cover	
2	401267	2	Encoder	600ppr
3	031072	1	Coupling	
4	017704	4	Spacer	
5	503060	4	Washer	NL12
6	501119	4	Screw	M12x100 12.9
7	501070	2	Screw	M8x25 12.9
8	503055	2	Washer	NL8




## Encoder

Structure 401267				
Pos.	Part no.	Quantity	Description	Specification
1	401226	1	Cover	
2	540039	2	O-ring	10,82x1,78
3	017634	1	Hexagon plug	




## Length measuring, assembly

Structure 043560				
Pos.	Part no.	Quantity	Description	Specification
1	012398	2	Spacer	
2	016217	1	Shaft	Ø20 - 76
3	518069	1	Shaft	
4	018390	2	Clamp	Ø44
5	018400	1	Hydraulic cylinder	
6	018792	1	Bracket	
7	501070	1	Screw	M8x25 12.9
8	501067	4	Screw	M8x16 12.9
9	501109	4	Screw	M12x30 12.9
10	502056	2	Nut	M12
11	503055	5	Washer	NL8
12	503060	4	Washer	NL12
13			Glue	243
14	601032	2	Adapter	3/8"
15	601101	1	Bonded seal	1/4"
16	601102	2	Bonded seal	3/8"
17	601749	2	Adapter	BSP 1/8" - 9/16" ORFS
18	601750	3	Adapter	BSP 1/4" - 9/16" ORFS
19	602013	1	Adapter	BSP -06
20	018421	1	Clamp	3/8"
21	602055	1	Adapter	1/4"
22	610201	1	Accumulator	
23	648029	1	Grease hose	
24	648056	1	Hydraulic hose	
25	648057	1	Hydraulic hose	
26	648058	1	Hydraulic hose	
27	648038	1	Hydraulic hose	
28	601751	1	Adapter	BSP 1/4" - 9/16" ORFS
29	648059	1	Hydraulic hose	
30	601752	1	Adapter	1/4" - ORFS -06
31	017378	1	Wheel rim	Ø194 - 5/8"
32	10000097	1	Shaft	
33	503009	1	Washer	12x22x2 FZB




## Shaft

Structure 518069				
Pos.	Part no.	Quantity	Description	Specification
1	518029	2	Screw	
2	518079	2	Sleeve	
3	518092	2	Grease nipple	




## Length measuring arm, Log Mate 510 and Forester

Structure 10000145				
Pos.	Part no.	Quantity	Description	Specification
1	10000079	1	Measuring wheel arm	
2	10000098	1	Hub	
3	018798	1	Cap	
4	018897	1	Spacer	
5	018876	1	Cap	
6	517249	1	Circlip	SGH 56
7	543075	1	O-ring	48x3
8	517215	1	Circlip	SGH 23
9	540014	1	O-ring	17,1x1,6
10	526041	1	Spring	1,6x20x33,2
11	508021	2	Roller bearing	45x75x20
12	10000299	1	Threaded ring	M45x1,5
13	3266800	1	Seal ring	75x90x8
14	546008	1	Seal ring	31x42x8
15	501071	10	Screw	M8x30 12.9
16	503055	10	Washer	NL8
17	503066	7	Washer	NL5
18	501029	7	Screw	M5x20 12.9
19	601754	1	Adapter	BSP 3/8" - 11/16" ORFS
20	648130	1	Hose	
21	015113	1	Seal	
22	673314	1	Cable	
23	401382	1	Sensor	
24	10000099	1	Spacer	
25			Grease	SKF LGLT 2




## Length measuring arm, Interface

Structure 10000146				
Pos.	Part no.	Quantity	Description	Specification
1	10000079	1	Measuring wheel arm	
2	10000098	1	Hub	
3	018798	1	Cap	
4	018897	1	Spacer	
5	018876	1	Cap	
6	517249	1	Circlip	SGH 56
7	543075	1	O-ring	48x3
8	517215	1	Circlip	SGH 23
9	540014	1	O-ring	17,1x1,6
10	526041	1	Spring	1,6x20x33,2
11	508021	2	Roller bearing	45x75x20
12	10000299	1	Threaded ring	M45x1,5
13	3266800	1	Seal ring	75x90x8
14	546008	1	Seal ring	31x42x8
15	501071	10	Screw	M8x30 12.9
16	503055	10	Washer	NL8
17	503066	7	Washer	NL5
18	501029	7	Screw	M5x20 12.9
19	601754	1	Adapter	BSP 3/8" - 11/16" ORFS
20	648130	1	Hose	
21	015113	1	Seal	
22	673315	1	Cable	
23	401383	1	Sensor	
24	10000099	1	Spacer	
25			Grease	SKF LGLT 2




## Hydraulic cylinder

Structure 018400				
Pos.	Part no.	Quantity	Description	Specification
1	018400-KIT	1	Rod kit	
2	625004	1	Grease nipple	M6
3		1	Seal kit	
4	510004	1	Spherical bushing	




## 4 point measuring

Structure 043590				
Pos.	Part no.	Quantity	Description	Specification
1	043018	1	Delimbing knife	
2	016899	1	Shaft	Ø60 - 248
3	016915	1	Protection	
4	625004	1	Grease nipple	M6
5	501113	3	Screw	M12x50 12.9
6	503060	3	Washer	NL12
7	016913	1	Plug	M30x2
8	501043	4	Screw	M6x12 12.9
9	503065	4	Washer	NL6
10	543020	1	Seal ring	4x3 NBR 70
11	016917	1	Protection	
12	500041	2	Screw	M8x14 8.8 FZB
13	503074	2	Washer	NL8 sp
14	10000397	1	Encoder	
15	10000237	1	Arm	
16	503066	1	Washer	NL5
17	501029	1	Screw	M5x20 12.9
18	10001207	1	Threaded ring	



## Delimiting knife

Structure 043018				
Pos.	Part no.	Quantity	Description	Specification
1	016895	1	Delimiting knife	
2	512029	2	Bushing	60x60
3	625000	1	Grease nipple	1/8"
4	519010	2	Protection	




## Measuring unit, feed roller engine

Structure 043564				
Pos.	Part no.	Quantity	Description	Specification
1	601001	2	Hex plug	1/4"
2	613038	1	Blanking plate	
3	501028	4	Screw	M5x16 12.9
4	608036	1	Nut	ORFS -06
5	635244	2	Encoder	
6	012991	1	Bracket	
7	10000337	1	Protection	
8	503075	4	Washer	NL10 sp
9	505084	4	Screw	M10x25 10.9




## **Felling unit**




## Felling link, assembly

Structure 043537				
Pos.	Part no.	Quantity	Description	Specification
1	013780	1	Pin	Ø60x354
2	507011	1	Shim	63x98x0,5
3	507012	1	Shim	63x98x1
4	013872	1	Washer	
5	503060	3	Washer	NL12
6	601003	1	Hex plug	1/2"
7	018069	1	Pin	Ø46x289
8	018068	1	Pin	Ø46x145
9	018086	2	Washer	
10	602030	2	Adapter	1/8"-3/8"
11	625000	2	Grease nipple	1/8"
12	016878	1	Clamp	3/8"
13	501073	1	Screw	M8x40 12.9
14	503055	1	Washer	NL8
15	018988	1	Hydraulic cylinder	
16	502060	2	Nut	M20
17	013920	1	Cover	
18	503057	1	Washer	NL10
19	018183	1	Hose leader	
20	500092	3	Screw	M12x35 8.8 FZB
21	013649	1	Plate	
22	500022	10	Screw	M6x14 8.8 FZB
23	503073	10	Washer	NL6 sp
24	012845	1	Rubber damper	
25	014377	1	Rubber damper	
26	500077	1	Screw	M10x70 8.8 FZB
27	601754	4	Adapter	BSP 3/8"-11/16" ORFS
28	648043	1	Hydraulic hose	
29	648044	1	Hydraulic hose	
30	615050		Hose cover	1"
31	519176	1	Decal	




## Felling link, standard

Structure 043538				
Pos.	Part no.	Quantity	Description	Specification
1	013239	1	Safety chain	
2	043526	1	Felling link	




## Felling link, standard

Structure 018629				
Pos.	Part no.	Quantity	Description	Specification
1	512029	2	Bushing	60x60
2	625000	1	Grease nipple	1/8"




## Felling link, reinforced

Structure 043539				
Pos.	Part no.	Quantity	Description	Specification
1	043527	1	Felling link	
2	523093	1	Safety chain	




## Felling link, reinforced

Structure 018631				
Pos.	Part no.	Quantity	Description	Specification
1	512029	2	Bushing	60x60
2	625000	1	Grease nipple	1/8"




## Felling link, molded

Structure 043541				
Pos.	Part no.	Quantity	Description	Specification
1	523093	1	Safety chain	
2	043540	1	Felling link	




## Felling link, molded

Structure 018706				
Pos.	Part no.	Quantity	Description	Specification
1	512029	2	Bushing	60x60
2	625000	1	Grease nipple	1/8"




## Chain holder

Structure 043543				
Pos.	Part no.	Quantity	Description	Specification
1	505058	2	Screw	M24x70 10.9
2	503072	2	Washer	NL24
3	523072	1	Shackle	
4	016227	1	Chain holder	



## Hydraulic cylinder

Structure 018988				
Pos.	Part no.	Quantity	Description	Specification
1	10000243	1	Rod kit	
2	517252	1	Circlip	SGH 62
3	510010	1	Spherical bushing	GE40-ES




## Rod kit

Structure 10000243				
Pos.	Part no.	Quantity	Description	Specification
1	10000244	1	Seal kit	
2	510010	1	Spherical bushing	GE40-ES
3	517252	1	Circlip	SGH 62




## Saw unit




## Hydraulics saw unit 218 F11-19

Structure 043570				
Pos.	Part no.	Quantity	Description	Specification
1	017975	1	Saw unit	218 F11-19
2	017909	1	Hydraulic cylinder	
3	016296	1	Cover	
4	017630	1	Hose cover	
5	10000361	1	Stop screw	
6	017905	1	Bracket	
7	017906	1	Spacer	
8	401318	1	Sensor	
9	K5081000	1	Sensor	
10	501087	2	Screw	M10x20 12.9
11	502706	1	Nut	M16 FZB
12	K005932-MONT	1	Manifold assembly	
13	502705	1	Nut	M16 10.9 FZB
14	503057	2	Washer	NL10
15	503065	5	Washer	NL6
16	501045	4	Screw	M6x16 12.9
17	503063	1	Washer	NL16
18	501053	1	Screw	M6x50 12.9
19	601000	1	Hex plug	1/8"
20	602083	1	Adapter	1/8"
21	601100	1	Bonded seal	1/8"
22	601749	2	Adapter	BSP 1/8"-9/16" ORFS
23	601762	4	Adapter	BSP 3/4"-1 3/16" ORFS
24	601754	4	Adapter	BSP 3/8"-11/16" ORFS
25	601752	2	Adapter	1/4" - ORFS -06
26	601730	1	Adapter	90 1,3/16" - 1.3/16" -12 ORFS
27	648078	1	Grease hose	
28	648079	1	Hydraulic hose	
29	648080	1	Hydraulic hose	
30	648081	1	Hydraulic hose	
31	648082	1	Hydraulic hose	
32	648083	1	Hydraulic hose	




Structure  
043570

Pos.	Part no.	Quantity	Description	Specification
33	648084	1	Hydraulic hose	




## Saw unit 218 F11-19

Structure 017975				
Pos.	Part no.	Quantity	Description	Specification
1	017967	1	Saw unit	218
2	017972	1	Saw motor	F11-19
3	503055	10	Washer	NL8
4	501078	10	Screw	M8x65 12.9
5	018097	4	Spacer	
6	501113	4	Screw	M12x50 12.9




## Hydraulics saw unit 218 True-Cut

Structure 043573				
Pos.	Part no.	Quantity	Description	Specification
1	018710	1	Saw unit	
2	016296	1	Cover	
3	017630	1	Cover	
4	10000361	1	Stop screw	
5	017905	1	Sleeve	
6	017906	1	Spacer	
7	401318	1	Sensor	
8	K5081000	1	Sensor	
9	501087	2	Screw	M10x20 12.9
10	502706	1	Nut	M16 FZB
11	502705	1	Nut	M16
12	503057	2	Washer	NL10
13	503065	5	Washer	NL6
14	501045	4	Screw	M6x16 12.9
15	503063	1	Washer	NL16
16	501053	1	Screw	M6x50 12.9
17	601000	1	Hex plug	1/8"
18	602083	1	Adapter	1/8"
19	601100	1	Bonded seal	1/8"
20	601749	2	Adapter	BSP 1/8" - 9/16" ORFS
21	017909	1	Hydraulic cylinder	
22	018216	1	Manifold	
23	503075	1	Washer	NL10 sp
24	500068	1	Screw	M10x25 8.8 FZB
25	519171	1	Decal	85x30 mm
26	601754	10	Adapter	BSP 3/8" - 11/16" ORFS
27	601762	3	Adapter	BSP 3/4" - 1.3/16" ORFS
28	602051	1	Adapter	3/8"
29	601102	1	Bonded seal	3/8"
30	601730	1	Adapter	1.3/16" - 1.3/16" -12 ORFS
31	648078	1	Grease hose	
32	648085	1	Hydraulic hose	
33	648086	1	Hydraulic hose	




Structure

Pos.	Part no.	Quantity	Description	Specification
34	648087	1	Hydraulic hose	
35	648088	1	Hydraulic hose	
36	648090	1	Hydraulic hose	
37	648091	1	Hydraulic hose	
38	648089	1	Hydraulic hose	
39	601001	2	Hex plug	1/4"
40	613038	1	Blanking plate	
41	501028	4	Screw	M5x16 12.9




## Saw unit 218 True-Cut

Structure 018710				
Pos.	Part no.	Quantity	Description	Specification
1	017967	1	Saw unit	218 True-Cut
2	018709	1	Saw motor	F11-19 True-Cut
3	501078	10	Screw	M8x65 12.9
4	503055	10	Washer	NL8
5	018097	4	Spacer	
6	501113	4	Screw	M12x50 12.9




## Hydraulics saw unit 318 F11-19

Structure 043571				
Pos.	Part no.	Quantity	Description	Specification
1	017977	1	Saw unit	
2	016296	1	Cover	
3	017630	1	Protection	
4	017905	1	Bracket	
5	017906	1	Spacer	
6	401318	1	Sensor	
7	K5081000	1	Sensor	
8	501087	2	Screw	M10x20 12.9
9	502706	1	Nut	M16 FZB
10	K005932-MONT	1	Manifold	
11	502705	1	Nut	M16
12	503057	2	Washer	NL10
13	503065	5	Washer	NL6
14	501045	4	Screw	M6x16 12.9
15	503063	1	Washer	NL16
16	501053	1	Screw	M6x50 12.9
17	602083	2	Adapter	1/8"
18	601100	2	Bonded seal	1/8"
19	601749	3	Adapter	BSP 1/8" - 9/16" ORFS
20	017909	1	Hydraulic cylinder	
21	017791	1	Bracket	
22	017617	1	Manifold	
23	501070	2	Screw	M8x25 12.9
24	503055	4	Washer	NL8
25	501077	2	Screw	M8x60 12.9
26	601762	4	Adapter	BSP 3/4" - 1.3/16" ORFS
27	601754	6	Adapter	BSP 3/8" - 11/16" ORFS
28	601750	2	Adapter	BSP 1/4" - 9/16" ORFS
29	601751	1	Adapter	BSP 1/4" - 9/16" ORFS
30	601752	2	Adapter	1/4" - ORFS -06
31	601730	1	Adapter	1.3/16" - 1.3/16" -12 ORFS
32	601726	1	Adapter	11/16" - 11/16" -16 ORFS






Structure

Pos.	Part no.	Quantity	Description	Specification
33	648078	1	Grease hose	
34	648092	1	Hydraulic hose	
35	648093	1	Hydraulic hose	
36	648094	1	Hydraulic hose	
37	648095	1	Hydraulic hose	
38	648096	1	Hydraulic hose	
39	648097	1	Hydraulic hose	
40	648098	1	Hydraulic hose	
41	648079	1	Hydraulic hose	
42	648080	1	Hydraulic hose	
43	10000361	1	Mechanical stop	






## Saw unit 318 F11-19

Structure 017977				
Pos.	Part no.	Quantity	Description	Specification
1	017968	1	Saw unit	318
2	017972	1	Saw motor	F11-19
3	501078	10	Screw	M8x65 12.9
4	503055	10	Washer	NL8
5	018097	4	Spacer	
6	501113	4	Screw	M12x50 12.9




## Hydraulics saw unit 318 True-Cut

Structure 043574				
Pos.	Part no.	Quantity	Description	Specification
1	018711	1	Saw unit	318 True-Cut
2	016296	1	Cover	
3	017630	1	Hose cover	
4	017900	1	Stop screw	
5	017905	1	Bracket	
6	017906	1	Spacer	
7	401318	1	Sensor	
8	K5081000	1	Sensor	
9	501087	2	Screw	M10x20 12.9
10	502706	1	Nut	M16 FZB
11	502705	1	Nut	M16 10.9 FZB
12	503057	2	Washer	NL10
13	503065	5	Washer	NL6
14	502717	1	Nut	M16x1,5 FZB
15	501045	4	Screw	M6x16 12.9
16	503063	1	Washer	NL16
17	501053	1	Screw	M6x50 12.9
18	602083	2	Adapter	1/8"
19	601100	2	Bonded seal	1/8"
20	601749	3	Adapter	BSP 1/8"-9/16" ORFS
21	017909	1	Hydraulic cylinder	
22	018216	1	Manifold	
23	503075	1	Washer	NL10 sp
24	500068	1	Screw	M10x25 8.8 FZB
25	017791	1	Bracket	
26	017617	1	Manifold	
27	501070	2	Screw	M8x25
28	503055	4	Washer	NL8
29	501077	2	Screw	M8x60 12.9
30	519171	1	Decal	
31	601750	2	Adapter	BSP 1/4"-9/16" ORFS
32	601754	12	Adapter	BSP 3/8"-11/16" ORFS
33	601762	3	Adapter	BSP 3/4"-1 3/16" ORFS




Structure  
043574

Pos.	Part no.	Quantity	Description	Specification
34	602051	1	Adapter	3/8"
35	601102	1	Bonded seal	3/8"
36	601730	1	Adapter	1 3/16"
37	601726	1	Adapter	11/16"
38	648078	1	Grease hose	
39	648095	1	Hydraulic hose	
40	648088	1	Hydraulic hose	
41	648089	1	Hydraulic hose	
42	648099	1	Hydraulic hose	
43	648091	1	Hydraulic hose	
44	648090	1	Hydraulic hose	
45	648093	1	Hydraulic hose	
46	648086	1	Hydraulic hose	
47	648087	1	Hydraulic hose	
48	648092	1	Hydraulic hose	
49	601001	2	Hex plug	1/4"
50	613038	1	Plate	
51	501028	4	Screw	M5x16 12.9




## Saw unit 318 True-Cut

Structure 018711				
Pos.	Part no.	Quantity	Description	Specification
1	017968	1	Saw unit	318-02
2	018709	1	Saw motor	F11-19 True-Cut
3	501078	10	Screw	M8x65 12.9
4	503055	10	Washer	NL8
5	018097	4	Spacer	
6	501113	4	Screw	M12x50 12.9




## Hydraulics saw unit 318 F12-30

Structure 043572				
Pos.	Part no.	Quantity	Description	Specification
1	017979	1	Saw unit	318 F12-30
2	016296	1	Cover	
3	017630	1	Hose cover	
4	017900	1	Stop screw	
5	017905	1	Bracket	
6	017906	1	Spacer	
7	401220	1	Sensor	
8	K5081000	1	Sensor	
9	501087	2	Screw	M10x20 12.9
10	502706	1	Nut	M16 FZB
11	K005932-MONT	1	Manifold assembly	
12	502705	1	Nut	M16 10.9 FZB
13	503057	10	Washer	NL10
14	503065	5	Washer	NL6
15	502717	1	Nut	M16x1,5 FZB
16	501045	4	Screw	M6x16 12.9
17	503063	1	Washer	NL16
18	501053	1	Screw	M6x50 12.9
19	602083	2	Adapter	1/8"
20	601100	2	Bonded seal	1/8"
21	601749	3	Adapter	BSP 1/8"-9/16" ORFS
22	017909	1	Hydraulic cylinder	
23	017791	1	Bracket	
24	017617	1	Manifold	
25	501070	2	Screw	M8x25
26	503055	4	Washer	NL8
27	501077	2	Screw	M8x60 12.9
28	601378	2	Threaded flange	3/4"
29	543170	2	O-ring	3/4"
30	601762	4	Adapter	BSP 3/4"-1 3/16" ORFS
31	501091	8	Screw	M10x35 12.9
32	601754	5	Adapter	BSP 3/8"-11/16" ORFS




Structure 043572				
Pos.	Part no.	Quantity	Description	Specification
33	601750	3	Adapter	BSP 1/4"-9/16" ORFS
34	601752	2	Adapter	BSP 1/4"-11/16" ORFS
35	601730	1	Adapter	90 1,3/16" - 1,3/16"-12 ORFS
36	601748	1	Adapter	ORFS -06
37	648078	1	Hydraulic hose	
38	648094	1	Hydraulic hose	
39	648095	1	Hydraulic hose	
40	648079	1	Hydraulic hose	
41	648080	1	Hydraulic hose	
42	648098	1	Hydraulic hose	
43	648100	1	Hydraulic hose	
44	648101	1	Hydraulic hose	
45	648093	1	Hydraulic hose	
46	648102	1	Hydraulic hose	




## Saw unit 318 F12-30

Structure 017979				
Pos.	Part no.	Quantity	Description	Specification
1	017969	1	Saw unit	318-04
2	017974	1	Saw motor	F12-30
3	501078	10	Screw	M8x65 12.9
4	503055	10	Washer	NL8
5	018097	4	Spacer	
6	501113	4	Screw	M12x50 12.9




## Saw motor F11-19, assembly

Structure 017972				
Pos.	Part no.	Quantity	Description	Specification
1	609108	1	Saw motor	F11-19
2	017904	1	Seal retainer	
3	017896	1	Sprocket carrier	
4	017897	1	Chain catcher	
5	549103	1	Sprocket	Z12
6	500045	8	Screw	M8x25 8.8 FZB
7	503055	9	Washer	NL8
8	501073	1	Screw	M8x40 12.9
9	515032	4	Cylindrical pin	Ø6x16
10	543062	2	O-ring	99,1x5,7
11	549211	1	Shim	25x1,0
12	549210	1	Shim	25x0,5




## Saw motor F11-19

Structure 609108				
Pos.	Part no.	Quantity	Description	Specification
1	554077	1	Spline	
2	554232	1	Seal kit	




## Saw motor True-Cut, assembly

Structure 018709				
Pos.	Part no.	Quantity	Description	Specification
1	609129	1	Saw motor	F11-19 True-Cut
2	017904	1	Seal retainer	
3	017907	1	Adapter	3/4"-1 3/16"
4	017896	1	Sprocket carrier	
5	017897	1	Chain catcher	
6	549105	1	Sprocket	Z13
7	500045	8	Screw	M8x25 8.8 FZB
8	503055	9	Washer	NL8
9	515032	4	Cylindrical pin	Ø6x16
10	501073	1	Screw	M8x40 12.9
11	543062	2	O-ring	99,1x5,7
12	601104	1	Bonded seal	3/4"
13	543165	1	O-ring	18,77x1,78
14	549211	1	Shim	25x1,0
15	549210	1	Shim	25x0,5




## Saw motor True-Cut

Structure 609129				
Pos.	Part no.	Quantity	Description	Specification
1	554077	1	Spline	
2	554232	1	Seal kit	




## Saw motor F12-30, assembly

Structure 017974				
Pos.	Part no.	Quantity	Description	Specification
1	609125	1	Saw motor	F12-30
2	017904	1	Seal retainer	
3	017896	1	Sprocket carrier	
4	017897	1	Chain catcher	
5	549123	1	Sprocket	Z18
6	500045	8	Screw	M8x25 8.8 FZB
7	503055	9	Washer	NL8
8	515032	4	Cylindrical pin	Ø6x16
9	501073	1	Screw	M8x40 12.9
10	543062	2	O-ring	99,1x5,7
11	549210	1	Shim	25x0,5
12	549211	1	Shim	25x1,0




## Saw motor F12-30

Structure 609125				
Pos.	Part no.	Quantity	Description	Specification
1	554283	1	Seal kit	
2	554077	1	Spline	




## Saw unit 218

Structure 017967				
Pos.	Part no.	Quantity	Description	Specification
1	017901	1	Saw bar bracket	218
2	017884	1	Cover	
3	017908	1	Bearing unit	
4	017883	1	Bracket	
5	508100	1	Bearing	
6	501090	6	Screw	M10x30 12.9
7	503057	6	Washer	NL10
8	501072	5	Screw	M8x35 12.9
9	501043	6	Screw	M6x12 12.9
10	601000	1	Hex plug	1/8"




## Saw bar bracket 218

Structure 017901				
Pos.	Part no.	Quantity	Description	Specification
1	017728	1	Saw bar bracket	
2	017895	1	Cylinder bracket	
3	017799	1	Pin	
4	016936	1	Thrust washer	
5	018133	1	Excenter	
6	016774	2	Bolt	Ø10
7	012519	1	Lock shaft	
8	515027	2	Cylindrical pin	6x80
9	515013	1	Tension pin	6x32
10	513051	4	Hex plug	M16x16
11	540009	1	O-ring	12,1x1,6
12	602122	1	Hex plug	M12x15
13	601001	1	Hex plug	1/4"
14	501111	4	Screw	M12x40
15	503060	4	Washer	NL12




## Saw unit 318-02

Structure 017968				
Pos.	Part no.	Quantity	Description	Specification
1	017902	1	Saw bar bracket	318-02
2	017884	1	Cover	
3	017908	1	Bearing unit	
4	017883	1	Bracket	
5	508100	1	Bearing	
6	501090	6	Screw	M10x30 12.9
7	503057	6	Washer	NL10
8	501072	5	Screw	M8x35 12.9
9	501043	6	Screw	M6x12 12.9
10	601000	1	Hex plug	1/8"




## Saw bracket 318-02

Structure 017902				
Pos.	Part no.	Quantity	Description	Specification
1	017729	1	Saw bar bracket	
2	017895	1	Cylinder bracket	
3	017892	1	Saw bar holder	
4	017903	2	Stop screw	M8
5	503055	2	Washer	NL8
6	018221	1	Bleeder plug	1/8"
7	554194	2	Support ring	Ø25,2/20,1
8	554195	2	Scraper	
9	543089	4	O-ring	Ø20,2x3
10	543087	1	O-ring	6,02x2,62
11	554248	1	Piston	
12	617047	1	Check valve	
13	554249	1	Plug	
14	526033	1	Spring	
15	543084	1	O-ring	Ø8,1x1,6
16	540009	1	O-ring	Ø12,1x1,6
17	602122	1	Plug	M12x1,5
18	635223	2	Seal	
19	601001	1	Hex plug	1/4"
20	501111	4	Screw	M12x40 12.9
21	503060	4	Washer	NL12
22	601200	1	Copper seal	13x19x1,5
23	526037	1	Spring	
24	018849	2	Piston	




## Saw bar holder 02

Structure 017892				
Pos.	Part no.	Quantity	Description	Specification
1	017891	1	Lower plate	
2	017890	1	Middle section	
3	017889	1	Upper plate	
4	505079	3	Screw	M8x16 10.9
5	018763	2	Guide pin	
6	017980	2	Pin screw	
7	503060	2	Washer	NL12
8	503063	2	Washer	NL16
9	502009	2	Nut	M16 FZB




## Saw unit 318-04

Structure 017969				
Pos.	Part no.	Quantity	Description	Specification
1	017966	1	Saw bar bracket	318-04
2	017884	1	Cover	
3	017908	1	Bearing unit	
4	017883	1	Bracket	
5	508100	1	Bearing	
6	501090	6	Screw	M10x30 12.9
7	503057	6	Washer	NL10
8	501072	5	Screw	M8x35 12.9
9	501043	6	Screw	M6x12 12.9
10	601000	1	Hex plug	1/8"



## Saw bar bracket 318-04

Structure 017966				
Pos.	Part no.	Quantity	Description	Specification
1	017729	1	Saw bar bracket	
2	017895	1	Cylinder bracket	
3	017965	1	Saw bar holder	04
4	017903	2	Stop screw	M8
5	503055	2	Washer	NL8
6	018221	1	Bleeder plug	1/8"
7	554194	2	Support ring	25,2x20,1
8	554195	2	Scraper	
9	543089	4	O-ring	20,2x3
10	543087	1	O-ring	6,02x2,62
11	554248	1	Piston	
12	617047	1	Check valve	
13	554249	1	Plug	
14	526033	1	Spring	
15	543084	1	O-ring	8,1x1,6
16	540009	1	O-ring	12,1x1,6
17	602122	1	Plug	M12x1,5
18	635223	2	Seal	
19	601001	1	Hex plug	1/4"
20	501111	4	Screw	M12x40 12.9
21	503060	4	Washer	NL12
22	601200	1	Copper seal	13x19x1,5
23	526037	1	Spring	
24	018849	2	Piston	



## Saw bar holder 04

Structure 017965				
Pos.	Part no.	Quantity	Description	Specification
1	018295	1	Lower plate	
2	017964	1	Middle section	
3	017983	1	Upper plate	
4	505079	3	Screw	M8x16 10.9
5	018763	2	Guide pin	
6	017980	2	Pin screw	
7	503060	2	Washer	NL12
8	503063	2	Washer	NL16
9	502009	2	Nut	M16 FZB



## Saw 218 F11-19 saw bar and saw chain

Structure				
Pos.	Part no.	Quantity	Description	Specification
	549518-175	1	Saw bar	18H 750 mm z=12
	549018-088	1	Saw chain	88E 0,404
	549518-182	1	Saw bar	18H 820 mm z=12
	549018-095	1	Saw chain	95E 0,404



## Saw 318 F11-19 saw bar and saw chain

Structure				
Pos.	Part no.	Quantity	Description	Specification
	549518-175	1	Saw bar	18H 750 mm z=12
	549018-088	1	Saw chain	88E 0,404
	549518-182	1	Saw bar	18H 820 mm z=12
	549018-095	1	Saw chain	95E 0,404



## Saw 218 True-Cut saw bar and saw chain

Structure				
Pos.	Part no.	Quantity	Description	Specification
	549518-175	1	Saw bar	18H 750 mm z=13
	549518-182	1	Saw bar	18H 820 mm z=13
	549018-088	1	Saw chain	88E 0,404
	549018-095	1	Saw chain	95E 0,404




## Saw 318 True-Cut saw bar and saw chain

Structure				
Pos.	Part no.	Quantity	Description	Specification
	549518-175	1	Saw bar	18H 750 mm z=13
	549518-182	1	Saw bar	18H 820 mm z=13
	549018-089	1	Saw chain	89E 0,404
	549018-096	1	Saw chain	96E 0,404




## Saw 318 F12-30 saw bar and saw chain

Structure				
Pos.	Part no.	Quantity	Description	Specification
	549518-475	1	Saw bar	18H 750 mm z=18
	549518-482	1	Saw bar	18H 820 mm z=18
	549018-092	1	Saw chain	92E 0,404
	549018-099	1	Saw chain	99E 0,404




## Bearing unit

Structure 017908				
Pos.	Part no.	Quantity	Description	Specification
1	017726	1	Bearing unit	
2	543038	2	O-ring	1/8"
3	543061	1	O-ring	180x3
4	617046	1	Check valve	139,5x3,0
5	10001436	3	Seal ring	
6	635221	1	V-ring	




## Manifold, assembly

Structure K005932-MONT				
Pos.	Part no.	Quantity	Description	Specification
1	503075	2	Washer	NL10 sp
2	500066	2	Screw	M10x20 8.8 FZB
3	601762	2	Adapter	BSP 3/4"-1 3/16" ORFS
4	016726	1	Manifold	




## Manifold

Structure 016726				
Pos.	Part no.	Quantity	Description	Specification
1	612034	1	Manifold	
2	10000803	1	Saw valve	




## Saw valve

Structure 10000803				
Pos.	Part no.	Quantity	Description	Specification
1	613057	1	Solenoid	
2	620355	1	Seal kit	




## Manifold

Structure 017617				
Pos.	Part no.	Quantity	Description	Specification
1	612070	1	Manifold	
2	619039	1	Pressure reducing valve	




## Manifold

Structure 018216				
Pos.	Part no.	Quantity	Description	Specification
1	601000	1	Hex plug	1/8"
2	612088	1	Soleonid	
3	612087	1	Directional valve	




## Saw sensors

Structure				
Pos.	Part no.	Quantity	Description	Specification
1		1	See cable list	




## Easy Greasy

Structure 043575				
Pos.	Part no.	Quantity	Description	Specification
1	033027	1	Easy Greasy pump	
2	500029	4	Screw	M6x45 8.8 FZB
3	503065	4	Washer	NL6
4	540074	1	O-ring	17,3x2,4
5	601101	1	Bonded seal	1/4"
6	601749	1	Adapter	BSP 1/8"-9/16" ORFS
7	602083	1	Adapter	1/8"
8	601100	1	Bonded seal	1/8"
9	601750	1	Adapter	BSP 1/4"-9/16" ORFS
10	648065	1	Grease hose	




## Easy Greasy pump

Structure 033027				
Pos.	Part no.	Quantity	Description	Specification
1	010897	1	Piston	
2	016282	1	Pump housing	
3	016426	1	Spacer	
4	526005	1	Spring	
5	543012	1	O-ring	27,6x2,4
6	613062	1	Solenoid	
7	617016	2	Check valve	
8	620302	1	Filter	



## Grease lubrication

Structure 043576				
Pos.	Part no.	Quantity	Description	Specification
1	016851	1	Cover	
2	543012	1	O-ring	
3	500022	4	Screw	M6x14 8.8 FZB
4	503065	4	Washer	NL6
5	601749	1	Adapter	BSP 1/8"-9/16" ORFS
6	602083	1	Adapter	1/8"
7	601100	1	Bonded seal	1/8"
8	648064	1	Grease hose	




## Hydraulic cylinder

Structure 017909				
Pos.	Part no.	Quantity	Description	Specification
1	620634-KIT	1	Tie rod kit	
2	620105	1	Seal kit	




# Rotators




## Indexator AV17S

Structure 033016				
Pos.	Part no.	Quantity	Description	Specification
1	618038	1	Rotator	
2	502705	6	Nut	M16
3	501145	6	Screw	M16x140 12.9




## Hose guard

Structure 032138				
Pos.	Part no.	Quantity	Description	Specification
1	017117	1	Hose guard	
2	501148	6	Screw	M16x160 12.9



## Indexator H182D

Structure 033084				
Pos.	Part no.	Quantity	Description	Specification
1	618076	1	Rotator	
2	501148	6	Screw	M16x160 12.9
3	502705	6	Nut	M16




## HX30 LS

Structure 043597				
Pos.	Part no.	Quantity	Description	Specification
1	618103	1	Rotator	
2	501144	6	Screw	M16x130 12.9
3	503063	6	Washer	NL16




# Accessories




## Multi stemming unit

Structure 043630				
Pos.	Part no.	Quantity	Description	Specification
1	012410	4	Sleeve	
2	012650	4	Screw	M12
3	015079	4	Clamp	
4	015081	2	Spring	Ø55x60
5	016666	1	Bracket	
6	017029	2	Pin	Ø35x156
7	017155	1	Bracket	
8	017163	2	Sleeve	
9	017164	2	Inner arm	
10	017178	1	Plate	
11	017180	2	Outer arm	
12	017184	2	Pin	Ø25x145
13	017186	2	Cover	
14	019004	2	Hydraulic cylinder	
15	017189	1	Cover	
16	017191	1	Manifold	
17	500066	8	Screw	M10x20 8.8 FZB
18	500069	2	Screw	M10x30 8.8 FZB
19	500079	2	Screw	M10x80 8.8 FZB
20	500091	2	Screw	M12x30 8.8 FZB
21	500094	2	Screw	M12x45 8.8 FZB
22	501068	4	Screw	M8x20 12.9
23	501151	6	Screw	M16x250 12.9
24	502055	2	Nut	M10
25	502705	6	Nut	M16 10.9 FZB
26	503048	2	Washer	10,5x25x6
27	503055	4	Washer	NL8
28	503057	8	Washer	NL10
29	503063	6	Washer	NL16
30	503076	4	Washer	NL12 sp
31	512005	4	Bushing	28x16
32	512012	4	Bushing	35x30
33	513040	4	Screw	M6x6




Structure  
043630

Pos.	Part no.	Quantity	Description	Specification
34	516002	2	Cotter pin	6,3x50
35	521007	2	Lock pin	Ø8
36	601000	2	Hex plug	1/8"
37	601061	2	Banjo screw	3/8"
38	601102	4	Bonded seal	3/8"
39	601263	1	Test point	90° 1/4"
40	601754	8	Adapter	BSP 3/8"-11/16" ORFS
41	601757	2	Adapter	BSP 1/2"-11/16" ORFS
42	615049		Hose cover	3/4"
43	615050		Hose cover	1"
44	625000	6	Grease nipple	1/8"
45	625004	4	Grease nipple	M6
46	648066	1	Hydraulic hose	
47	648067	1	Hydraulic hose	
48	648068	1	Hydraulic hose	
49	648069	1	Hydraulic hose	
50	648070	1	Hydraulic hose	
51	648071	1	Hydraulic hose	




## Manifold

Structure 017191				
Pos.	Part no.	Quantity	Description	Specification
1	619016	1	Pressure reducer valve	
2	601261	1	Test point	1/4"
3	612055	1	Directional valve	
4	501032	4	Screw	M5x35 12.9




## Multi stemming unit with rotator control

Structure 043631				
Pos.	Part no.	Quantity	Description	Specification
1	017155	1	Bracket	
2	017164	2	Inner arm	
3	512012	4	Bushing	35x30
4	017029	2	Pin	Ø35x156
5	516002	2	Cotter pin	6,3x50
6	017184	2	Pin	Ø25x145
7	503048	2	Washer	10,5x28x6
8	500066	8	Screw	M10x20 8.8 FZB
9	601000	2	Hex plug	1/8"
10	015079	4	Clamp	
11	501068	4	Screw	M8x20 12.9
12	503055	4	Washer	NL8
13	521007	2	Lock pin	Ø8
14	017163	2	Sleeve	
15	017180	2	Front arm	
16	015081	2	Spring	
17	625000	6	Grease nipple	1/8"
18	512005	4	Bushing	28x16
19	017178	1	Support plate	
20	503076	4	Washer	NL12 sp
21	500094	2	Screw	M12x30 8.8 FZB
22	019004	2	Hydraulic cylinder	
23	012410	4	Sleeve	
24	012650	4	Screw	M12
25	625004	4	Grease nipple	M6
26	513040	4	Screw	M6x6
27	503057	8	Washer	NL10
28	017186	2	Cover	
29	500070	2	Screw	M10x35 8.8 FZB
30	502055	2	Nut	M10
31	016666	1	Bracket	
32	017712	1	Cover	
33	017714	1	Support plate	




Structure  
043631

Pos.	Part no.	Quantity	Description	Specification
34	017615	1	Manifold	
35	500079	2	Screw	M10x80 8.8 FZB
36	501151	6	Screw	M16x250 12.9
37	503063	6	Washer	NL16
38	502705	6	Nut	M16
39	601754	10	Adapter	BSP 3/8" - 11/16" ORFS
40	602051	3	Adapter	3/8"
41	601102	3	Bonded seal	3/8"
42	601757	2	Adapter	BSP -08 - ORFS -06
43	602059	2	Adapter	1/2" - 1/4"
44	601753	2	Adapter	BSP 3/8" - 9/16" ORFS
45	601750	2	Adapter	BSP 1/4" - 9/16" ORFS
46	601726	2	Adapter	90 11/16" - 11/16" -16 ORFS
47	615050		Protective hose	1"
48	615049		Protective hose	3/4"
49	615055		Protective hose	1/2"
50	648072	1	Hydraulic hose	
51	648073	1	Hydraulic hose	
52	648074	1	Hydraulic hose	
53	648075	1	Hydraulic hose	
54	648076	1	Hydraulic hose	
55	648077	1	Hydraulic hose	
56	648071	1	Hydraulic hose	M12x45 8.8 FZB
57	648070	1	Hydraulic hose	M10x35 8.8 FZB




## Manifold

Structure 017615				
Pos.	Part no.	Quantity	Description	Specification
1	601020	3	Plug	
2	601000	4	Hex plug	1/8"
3	601261	2	Test point	1/4"
4	619016	2	Pressure reducer valve	
5	612055	1	Directional valve	
6	501032	4	Screw	M5x35 12.9
7	612058	1	Directional valve	
8	501036	4	Screw	M5x45 12.9




## Pressure reducer valve

Structure 619016				
Pos.	Part no.	Quantity	Description	Specification
1	620352	1	Seal kit	




## Hydraulic cylinder

Structure 019004				
Pos.	Part no.	Quantity	Description	Specification
1	10000259	1	Rod kit	
2	510008	1	Spherical bushing	GE30-ES
3	517240	1	Circlip	SGH 47




## Rod kit

Structure 10000259				
Pos.	Part no.	Quantity	Description	Specification
1	510008	1	Spherical bushing	GE30-ES
2	517240	1	Circlip	SGH 47
3	10000241	1	Seal kit	




## Color marking, assembly

Structure 043535				
Pos.	Part no.	Quantity	Description	Specification
1	018625	1	Color tank	
2	018627	1	Color pump	
3	018628	1	Color marking manifold	
4	016581	1	Bracket	
5	018200	1	Hose cover	
6	018210	1	Hose cover	
7	500068	2	Screw	M10x25 8.8 FZB
8	502055	1	Nut	M10
9	500070	5	Screw	M10x35 8.8 FZB
10	503075	7	Washer	NL10 sp
11	601750	1	Adapter	BSP 1/4"-9/16" ORFS
12	648020	1	Hydraulic hose	
13	648021	1	Hydraulic hose	
14	648022	1	Hydraulic hose	
15	648023	1	Hydraulic hose	
16	648024	1	Hydraulic hose	
17	648025	1	Hydraulic hose	
18	615055		Hose protection	1/2"
19	601753	1	Adapter	BSP 3/8" - 9/16" ORFS




## Color tank, assembly

Structure 018625				
Pos.	Part no.	Quantity	Description	Specification
1	018592	1	Right color tank	
2	018598	1	Left color tank	
3	018619	1	Protective bar	
4	017326	1	Filling cap, red	
5	017327	1	Filling cap, blue	
6	018626-346	2	Threaded rod	M10x346
7	018626-220	1	Threaded rod	M10x220
8	018591	2	Filter	
9	517238	2	Circlip	SGH 45
10	601750	2	Adapter	BSP 1/4"-9/16" ORFS
11	601727	1	Adapter	9/16"
12	502055	3	Nut	M10
13	503075	6	Washer	NL10 sp
14	502006	3	Nut	M10 FZB
15	540023	2	O-ring	37,1x1,6




## Color pump, assembly

Structure 018627				
Pos.	Part no.	Quantity	Description	Specification
1	018335	1	Bracket	
2	018531	1	Color pump	
3	016251	1	Spacer	
4	017734	1	Cover	
5	505083	3	Screw	M10x20 10.9
6	501093	2	Screw	M10x45 12.9
7	503075	7	Washer	NL10 sp
8	601749	3	Adapter	BSP 1/8"-9/16" ORFS
9	601750	3	Adapter	BSP 1/4"-9/16" ORFS
10	500070	2	Screw	M10x35 8.8 FZB




## Color pump

Structure 018531				
Pos.	Part no.	Quantity	Description	Specification
1	018530	1	Pump housing	
2	018331	2	Piston	
3	601004	2	Hex plug	3/4"
4	617024	4	Check valve	
5	613014	2	Orifice	M6
6	601000	6	Hex plug	1/8"
7	602317	2	Filter plug	1/8"
8	612097	2	Directional valve	
9	617049	2	Check valve	
10	601001	2	Hex plug	1/4"




## Directional valve

Structure 612097				
Pos.	Part no.	Quantity	Description	Specification
1	612094	1	Solenoid	
2	612106	1	Directional valve	
	554093	1	Seal kit	




## Color marking manifold, assembly

Structure 018628				
Pos.	Part no.	Quantity	Description	Specification
1	609074	1	Color marking manifold	
2	601750	2	Adapter	BSP 1/4"-9/16" ORFS
3	501087	2	Screw	M10x20 12.9
4	503057	2	Washer	NL10
5	016295	2	Wedge	




## Color marking manifold

Structure 609074				
Pos.	Part no.	Quantity	Description	Specification
1	609076	2	Nozzle	
2	601000	2	Hex plug	1/8"
3	501130	2	Screw	M12x16 12.9
4	601001	2	Hex plug	1/4"
5	503060	2	Washer	NL12




## Filling cap, red

Structure 017326				
Pos.	Part no.	Quantity	Description	Specification
1	013786	1	Filling cap	
2	543028	1	O-ring	44,04x3,53
3	624018	1	Breather	1/4"




## Filling cap, blue

Structure 017327				
Pos.	Part no.	Quantity	Description	Specification
1	013787	1	Filling cap	
2	543028	1	O-ring	44,04x3,53
3	624018	1	Breather	1/4"





## Rotator control

Structure 043640				
Pos.	Part no.	Quantity	Description	Specification
1	612029	1	Directional valve	
2	501031	4	Screw	M5x30 12.9
3	601753	2	Adapter	BSP 3/8"-9/16" ORFS
4	648103	1	Hydraulic hose	
5	648104	1	Hydraulic hose	
6	601750	2	Adapter	BSP 1/4"-9/16" ORFS
7	602059	2	Adapter	1/2"-1/4"
8	018220	1	Hose cover	
9	503057	2	Washer	NL10
10	500071	2	Screw	M10x40 8.8 FZB
11	615049		Hose cover	3/4"
12	615055		Hose cover	1/2"





## Rotator control, HX30

Structure 10000418				
Pos.	Part no.	Quantity	Description	Specification
1	022986	1	Manifold	
2	501036	4	Screw	M5x45 12.9
3	612058	1	Direcional valve	
4	022988	2	Adapter	
5	022990	2	Spacer	
6	601102	2	Bonded seal	3/8"
7	601753	2	Adapter	BSP -06/ ORFS -04





## Rotator control, standard felling unit, HX30

Structure 10000419				
Pos.	Part no.	Quantity	Description	Specification
1	615049		Hose cover	3/4"
2	648133	1	Hydraulic hose	
3	648134	1	Hydraulic hose	
4	043650	1	Protection	
5	10000418	1	Rotator control	
6	601753	2	Adapter	BSP -06/ ORFS -04
7	602051	2	Adapter	BSP -06




## Rotator control, reinforced felling unit, HX30

Structure 10000420				
Pos.	Part no.	Quantity	Description	Specification
1	615049		Hose cover	3/4"
2	648135	1	Hydraulic hose	
3	648136	1	Hydraulic hose	
4	043650	1	Protection	
5	10000418	1	Rotator control	
6	601753	2	Adapter	BSP -06/ ORFS -04
7	602051	2	Adapter	BSP -06




## Rotator control, molded felling unit, HX30

Structure 10000421				
Pos.	Part no.	Quantity	Description	Specification
1	615049		Hose cover	3/4"
2	648137	1	Hydraulic hose	
3	648138	1	Hydraulic hose	
4	10000418	1	Rotator control	
5	601753	2	Adapter	BSP -06/ ORFS -04
6	602051	2	Adapter	BSP -06




## Protection

Structure 043650				
Pos.	Part no.	Quantity	Description	Specification
1	018220	1	Cover	
2	503057	2	Washer	NL10
3	500070	2	Screw	M10x35 8.8 FZB
4	500073	2	Screw	M10x50 8.8 FZB




## Find End kit

Structure 046351				
Pos.	Part no.	Quantity	Description	Specification
1	018676	1	Find End	
2	402315	1	Cable housing	
3	402314	1	Y-connector	
4	648129	1	Protective hose	
5	519192	1	Decal	




## Find End

Structure 018676				
Pos.	Part no.	Quantity	Description	Specification
1	018670	1	Housing	
2	018671	1	Cover	
3	018679	1	Cover	
4	018673	1	Bracket	
5	501029	6	Screw	M5x20 12.9
6	501087	3	Screw	M10x20 12.9
7	503075	3	Washer	NL10 sp
8	501004	2	Screw	M3x30 12.9
9	503001	2	Washer	3,2x7x0,5 FZB
10	401152	1	Bulkhead	M20x1,5
11	401320	1	Laser sensor	
12			Loctite	243




## Hose holder, reinforced felling link

Structure 043546				
Pos.	Part no.	Quantity	Description	Specification
1	018638	1	Hose holder	
2	601782	1	Bulkhead	ORFS -12
3	601784	2	Bulkhead	ORFS -16
4	618092	1	Swivel	ORFS -12
5	618094	2	Swivel	ORFS -16
6	648108	1	Hydraulic hose	
7	648107	1	Hydraulic hose	
8	648109	1	Hydraulic hose	
9	615052		Hose protection	3"




## Hose holder, molded felling link

Structure 043581				
Pos.	Part no.	Quantity	Description	Specification
1	018638	1	Hose holder	
2	601782	1	Bulk head	ORFS -08
3	601784	2	Bulk head	ORFS -16
5	618092	1	Swivel	ORFS -08
4	618094	2	Swivel	ORFS -16
6	648121	1	Hydraulic hose	
7	648120	1	Hydraulic hose	
8	648122	1	Hydraulic hose	
9	615052		Hose protection	3"




## Hose holder

Structure 018638				
Pos.	Part no.	Quantity	Description	Specification
1	018640	1	Arm	
2	018641	1	Locking plate	
3	018642	1	Adapter plate	
4	503057	10	Washer	NL10
5	501087	10	Screw	M10x20 12.9
6	625004	2	Grease nipple	M6
7	503072	3	Washer	NL24
8	505045	3	Screw	M24x80 10.9




## Hose holder, Komatsu with interface

Structure 013522				
Pos.	Part no.	Quantity	Description	Specification
1	013523	1	Bracket	
2	012949	2	Clamp	
3	523052	2	Schackle	3/8"
4	013771	1	Chain	
5	501073	2	Screw	M8x40 12.9
6	615046	1	Hose cover	300 mm




## Hose holder, Ecolog

Structure 013939				
Pos.	Part no.	Quantity	Description	Specification
1	013937	1	Bracket	
2	012949	2	Clamp	
3	523052	2	Schackle	3/8"
4	013771	1	Chain	
5	501073	2	Screw	M8x40 12.9
6	615046	1	Hose cover	300 mm




## Hose holder, Rottne

Structure 018067				
Pos.	Part no.	Quantity	Description	Specification
1	018063	1	Bracket	
2	012949	2	Clamp	
3	523052	2	Schackle	3/8"
4	013771	1	Chain	
5	501073	2	Screw	M8x40 12.9
6	615046	1	Hose cover	300 mm




## Rubber cover

Structure 033732				
Pos.	Part no.	Quantity	Description	Specification
1	521003	1	Ring pin	Ø6
2	500023	5	Screw	M6x16 8.8 FZB
3	500021	3	Screw	M6x12 8.8 FZB
4	014050	1	Rubber blanket	




## Saw dust cover

Structure 018056				
Pos.	Part no.	Quantity	Description	Specification
1	018055	2	Inner plate	
2	018054	1	Inner strip	
3	016776	1	Outer plate	
4	523002	6	Chain	
5	501070	4	Screw	M8x25
6	503055	4	Washer	NL8
7	503074	8	Washer	NL8 sp
8	501067	12	Screw	M8x16




## Heavy duty kit

Structure 043484				
Pos.	Part no.	Quantity	Description	Specification
1	018056	1	Saw dust cover	
2	016253	3	Clamp	
3	016257	3	Cover	
4	016818	1	Cover	
5	016819	1	Cover	
6	501090	6	Screw	M10x30 12.9
7	503057	6	Washer	NL10
8	502055	3	Nut	M10
9	500079	3	Screw	M10x80 8.8 FZB
10	503060	8	Washer	NL12
11	500090	4	Screw	M12x25 8.8 FZB
12	500091	4	Screw	M12x30 8.8 FZB




## Heavy duty kit, color marking

Structure 043482				
Pos.	Part no.	Quantity	Description	Specification
1	018056	1	Saw dust cover	
2	016253	2	Clamp	
3	016257	2	Cover	
4	016818	1	Cover	
5	016819	1	Cover	
6	501090	4	Screw	M10x30 12.9
7	503057	4	Washer	NL10
8	502055	2	Nut	M10
9	500079	2	Screw	M10x80 8.8 FZB
10	503060	8	Washer	NL12
11	500090	4	Screw	M12x25 8.8 FZB
12	500091	4	Screw	M12x30 8.8 FZB




## Stump treatment saw 218

Structure 043577				
Pos.	Part no.	Quantity	Description	Specification
1	018524	1	Swivel	9/16"
2	617048	1	Check valve	1/4"
3	601750	1	Adapter	BSP 1/4"-9/16" ORFS
4	018525	1	Bracket	
5	501045	1	Screw	M6x16 12.9
6	503065	1	Washer	NL6
7	648062	1	Hydraulic hose	
8	648063	1	Hydraulic hose	




## Stump treatment saw 318

Structure 043578				
Pos.	Part no.	Quantity	Description	Specification
1	018524	1	Swivel	9/16"
2	617048	1	Check valve	1/4"
3	601750	1	Adapter	BSP 1/4"-9/16" ORFS
4	018525	1	Bracket	
5	501045	1	Screw	M6x16 12.9
6	503065	1	Washer	NL6
7	648061	1	Hydraulic hose	
8	648062	1	Hydraulic hose	



## Protective bar

Structure 043531				
Pos.	Part no.	Quantity	Description	Specification
1	018619	1	Protective bar	
2	018626-195	3	Threaded rod	M10
3	503075	6	Washer	NL10 sp
4	502722	6	Nut	M10 FZB




## Tool kit

Structure 032311				
Pos.	Part no.	Quantity	Description	Specification
1	039098	1	Tool	
2	623053	1	Manometer	
3	522505	1	First aid kit	
4	522227	1	Allen key	
5	402804	1	Multimeter	
6	016537	1	Tool	
7	015662	1	Edge template	
8	522718	1	Tool	
9	519190	2	Decal	
10	016523	1	Tool	
11	10000394	1	Tool	
12	538002	1	Allen key	
13	033801	1	User manual	
14	522506-LXL	1	Safety vest	




# Hydraulic system




## Hydraulic, assembly

Structure 043610				
Pos.	Part no.	Quantity	Description	Specification
1	013139	1	Bracket	
2	017253	2	Bulkhead	1"
3	013884	4	Nut	
4	601105	2	Bonded seal	1"
5	501109	1	Screw	M12x30 12.9
6	502056	1	Nut	M12
7	501104	3	Screw	M10x140 12.9
8	503057	2	Washer	NL10
9	502055	2	Nut	M10
10	013835	1	Manifold	
11	501072	1	Screw	M8x35 12.9
12	503055	1	Washer	NL8
13	601261	4	Test point	1/4"
14	601750	4	Adapter	BSP 1/4"-9/16" ORFS
15	543051	2	O-ring	23,52x1,78
16	018536	1	Manifold	
17	601101	3	Bonded seal	1/4"
18	014193	1	Pipe	
19	602075	2	Hose fitting	1/8"
20	602086	2	Adapter	1/4" - 1/8"
21	601100	1	Bonded seal	1/8"
22	602060	1	Adapter	1/4"
23	602061	1	Adapter	1/8"
24	013830	1	Pipe	
25	601260	1	Test point	1/8"
26	601262	2	Test point	3/8"
27	601758	4	Adapter	BSP 1/2" - 13/16" ORFS
28	601103	1	Bonded seal	1/2"
29	648037	1	Hydraulic hose	
30	648034	1	Hydraulic hose	
31	648036	1	Hydraulic hose	
32	648035	1	Hydraulic hose	
33	013805	1	Adapter	1/2"




Structure  
043610

Pos.	Part no.	Quantity	Description	Specification
34	601736	1	Adapter	11/16"
35	601754	1	Adapter	BSP 3/8" - 11/16" ORFS
36	626001	4	Tie down strap	530 mm
37	507010	1	Shim	14x20x0,5
38	601760	1	Adapter	BSP 1/2" - 1.3/16" ORFS
39	601791	1	Plug	3/16"
40	601792	2	Plug	7/16"
41	601001	1	Hex plug	1/4"




## Right manifold, assembly

Structure 043611				
Pos.	Part no.	Quantity	Description	Specification
1	614025-01	1	Right manifold	




## Right manifold

Structure 614025-01				
Pos.	Part no.	Quantity	Description	Specification
1	614116-04	1	Inlet manifold	
2	614111-02	1	Lower delimiting knife section	
3	614115-03	1	Feed section	
4	614114-02	1	Feed section	
5	614111-06	1	Delimiting knife section	
6	614110-01	1	End section	
7	620455	1	Tie rod kit	




## Inlet manifold

Structure 614116-04				
Pos.	Part no.	Quantity	Description	Specification
1	617028	2	Check valve	
2	620397	1	Feed reducer	
3	611196	1	Relief valve	330 bar
4	620543	1	Reducer valve	
5	601001	3	Hex plug	1/4"
6	601000	1	Hex plug	1/8"




## Lower delimiting knife section

Structure 614111-02				
Pos.	Part no.	Quantity	Description	Specification
1	620397	2	Feed reducer	
2	620377	1	Seal kit	
3	620590	2	Soleniod	
4	620390	1	Cap	EC/PC
5	620342	1	Cap	EC/A036
6	620345	2	Restrictor	1,2 mm
7	620392	1	Spring kit	
8	620444	1	Spool	MBX
9	620510	1	Compensator kit	B
10	620512	1	Compensator kit	G
11	620399	1	Relief valve	125 bar
12	620407	1	Relief valve	190 bar




## Feed section

Structure 614115-03				
Pos.	Part no.	Quantity	Description	Specification
1	620377	1	Seal kit	
2	620590	2	Solenoid	
3	620390	1	Cap	EC/PC
4	620342	1	Cap	EC/A036
5	620345	2	Restrictor	1,2 mm
6	620485	1	Spring kit	
7	620454	1	Spool	UBX
8	620400	1	Relief valve	320 bar
9	620484	1	Relief valve	280 bar




## Feed section

Structure 614114-02				
Pos.	Part no.	Quantity	Description	Specification
1	620377	1	Seal kit	
2	620390	1	Cap	EC/PC
3	620391	1	Cap	PC
4	620485	1	Spring kit	
5	620454	1	Spool	
6	620400	1	Relief valve	320 bar
7	620484	1	Relief valve	280 bar




## Delimbing knife section

Structure 614111-06				
Pos.	Part no.	Quantity	Description	Specification
1	620397	2	Feed reducer	
2	620377	1	Seal kit	
3	620590	2	Solenoid	
4	620390	1	Cap	EC/PC
5	620342	1	Cap	EC/A036
6	620345	2	Restrictor	1,2 mm
7	620392	1	Spring kit	
8	620444	1	Spool	MBX
9	620510	1	Compensator	
10	620512	1	Compensator	
11	620399	1	Relief valve	125 bar
12	620404	1	Relief valve	210 bar




## Feed reducer

Structure 620397				
Pos.	Part no.	Quantity	Description	Specification
1	540001	1	O-ring	4,1x1,6
2	543022	1	O-ring	9,5x2,0




## Relief valve 330 bar

Structure 611196				
Pos.	Part no.	Quantity	Description	Specification
1	540047	1	O-ring	21,95x1,78




## Reducer valve

Structure 620543				
Pos.	Part no.	Quantity	Description	Specification
1	611309	1	Seal kit	




## Compensator kit

Structure 620510				
Pos.	Part no.	Quantity	Description	Specification
1	620413	1	Spring	




## Compensator kit

Structure 620512				
Pos.	Part no.	Quantity	Description	Specification
1	620413	1	Spring	




## Relief valve 125 bar

Structure 620399				
Pos.	Part no.	Quantity	Description	Specification
1	540072	1	O-ring	15,3x2,4




## Cap EC/PC

Structure 620390				
Pos.	Part no.	Quantity	Description	Specification
1	501046	3	Screw	M6x20 12.9
2	620383	1	Seal kit	




## Cap EC/A036

Structure 620342				
Pos.	Part no.	Quantity	Description	Specification
1	620446	1	Spool limiter kit	
2	620379	1	Seal kit	
3	501049	2	Screw	M6x30 12.9
4	501061	2	Screw	M6x100 12.9
5	501014	4	Screw	M4x12 12.9
6	601000	1	Hex plug	1/8"




## Solenoid

Structure 620590				
Pos.	Part no.	Quantity	Description	Specification
1	501014	2	Screw	M4x12 12.9
2	620344	1	Seal kit	




## Relief valve 280 bar

Structure 620484				
Pos.	Part no.	Quantity	Description	Specification
1	540072	1	O-ring	15,3x2,4




## Relief valve 320 bar

Structure 620400				
Pos.	Part no.	Quantity	Description	Specification
1	540072	1	O-ring	15,3x2,4




## Right manifold, low pressure control

Structure 043612				
Pos.	Part no.	Quantity	Description	Specification
1	614026-01	1	Right manifold	




## Lower delimiting knife section, low pressure

Structure 614111-10				
Pos.	Part no.	Quantity	Description	Specification
1	620397	2	Feed reducer	
2	620377	1	Seal kit	
3	620590	2	Solenoid	
4	620390	1	Cap	EC/PC
5	620342	1	Cap	EC/A036
6	620345	2	Restrictor	1,2 mm
7	620392	1	Spring kit	
8	620570	1	Spool	BTX
9	620510	1	Compensator kt	B
10	620512	1	Compensator kit	G
11	620407	2	Relief valve	190 bar




## Left manifold, assembly

Structure 018536				
Pos.	Part no.	Quantity	Description	Specification
1	601000	7	Hex plug	1/8"
2	617044	1	Check valve	
3	617013	2	Check valve	
4	619016	2	Pressure reducer	
5	601001	6	Hex plug	1/4"
6	601002	6	Hex plug	3/8"
7	601261	2	Test point	1/4"
8	613017	2	Orifice	M6x2,5
9	617033	6	Pressure reducer	190 bar
10	010280	1	Directional valve	24V
11	011626	1	Directional valve	24V
12	613045	1	Plate	
13	612057	1	Directional valve	24V
14	501029	4	Screw	M5x20 12.9
15	612033	1	Left manifold	
16	501032	4	Screw	M5x35 12.9
17	501031	8	Screw	M5x30 12.9
18	613033	1	Orifice	M5x2
19	018534	1	Manifold	
20	612104	1	Cavity plug	




## Directional valve

Structure 010280				
Pos.	Part no.	Quantity	Description	Specification
1	613002	2	Solenoid	
2	613059	2	Plastic nut	
3	540006	4	O-ring	9,25x1,78




## Directional valve

Structure 011626				
Pos.	Part no.	Quantity	Description	Specification
1	613002	1	Solenoid	
2	613059	1	Plastic nut	
3	540006	4	O-ring	9,25x1,78




## Directional valve

Structure 612057				
Pos.	Part no.	Quantity	Description	Specification
1	613069	1	Solenoid	
2	613105	1	Plastic nut	
3	540037	4	O-ring	7,65x1,68




## Check valve

Structure 617013				
Pos.	Part no.	Quantity	Description	Specification
1	620356	1	Seal kit	




## Pressure reducer valve 190 bar

Structure 617033				
Pos.	Part no.	Quantity	Description	Specification
1	540043	1	O-ring	15,6x1,78




## Check valve

Structure 617044				
Pos.	Part no.	Quantity	Description	Specification
1	620351	1	Seal kit	



## Pressure reducer valve

Structure 619016				
Pos.	Part no.	Quantity	Description	Specification
1	620352	1	Seal kit	




## Manifold

Structure 018534				
Pos.	Part no.	Quantity	Description	Specification
1	501033	4	Screw	M5x40 12.9
2	503066	4	Washer	NL5
3	540036	4	O-ring	7,65x1,78
4	612082	1	Pressure reducer	
5	612068	1	Pressure reducer	
6	612069	1	Solenoid	



# Control system



## Log Mate 510

Structure 045558				
Pos.	Part no.	Quantity	Description	Specification
1	016852	4	Washer	
2	018838	1	Bracket	
3	402059	4	Rubberbushing	
4	402585	4	Spacer	
5	402610-08	1	LHM module	
6	502053	4	Nut	M6
7	517004	1	Circlip	
8	401310	7	Cover	M12
9	402083	3	Plug	
10	501093	1	Screw	M10x45 12.9




## Log Mate 510 cable list

Structure				
Pos.	Part no.	Quantity	Description	Specification
	673231	1	Cable 1	
	673232	1	Cable 2	
	673234	1	Cable 4	
	673236	1	Cable 5	
	673237	1	Cable 7	
	673238	1	Cable 8	
	673239	1	Cable 9	
	673240	1	Cable 10	
	402571	2	Cable	
	673233	1	Cable 3	
	673245	1	Cable 14	
	017325	1	Cable 15/16/22	
	673241	1	Cable 6	
	673243	1	Cable 17	
	673242	1	Cable 6	
	673244	1	Cable 17	
	673248	1	Cable 34	
	673246	1	Cable 12/13	
	673249	1	Cable 18	
	673250	1	Cable 19	
	673259	1	Cable 42/43	
	673260	1	Cable 12/13	
	673253	1	Cable 25/26/32	
	673254	1	Cable 25/26/32	
	673256	1	Cable 32	
	673255	1	Cable 25/26/32	
	673257	1	Cable 25	
	673258	1	Cable 26	
	673247	1	Cable 23	
	673251	1	Cable 27	
	673252	1	Cable 36	



Structure

Pos.	Part no.	Quantity	Description	Specification
	014221	1	Bracket	
	622061	1	Clamp	
	501045	1	Screw	M6x16 12.9
	503065	1	Washer	NL6
	402098	1	Holder	
	500065	1	Screw	M10x16 8.8 FZB
	503057	1	Washer	NL10
	402080	5	Plug	
	402086	5	Spline	
	402077	36	Plug	



## Dasa Forester

Structure 043625				
Pos.	Part no.	Quantity	Description	Specification
1	018839	1	Bracket	
2	501049	4	Screw	M6x30 12.9
3	502053	4	Nut	M6
4	517004	1	Circlip	
5	501089	1	Screw	M10x25 12.9




## Dasa Forester cable list

Structure				
Pos.	Part no.	Quantity	Description	Specification
	673261	1	Cable 1	
	673262	1	Cable 2	
	673263	1	Cable 3	
	673264	1	Cable 4	
	673265	1	Cable 4	
	673266	1	Cable 7	
	673267	1	Cable 8	
	673268	1	Cable 9	
	673269	1	Cable 10	
	673274	1	Cable 14	
	402574	2	Cable	M12
	402112	1	Plug	
	402113	1	Plug	
	402114	1	Plug	
	402115	1	Plug	
	402116	4	Spline	
	402111	24	Plug	
	017325	1	Cable 15/16/22	
	673270	1	Cable 6	
	673272	1	Cable 17	
	673271	1	Cable 6	True-Cut
	673273	1	Cable 17	True-Cut
	673277	1	Cable 34	
	673275	1	Cable 12/13	
	014221	1	Bracket	
	622061	1	Clamp	
	501045	1	Screw	M6x16 12.9
	503065	1	Washer	NL6
	673282	1	Cable 25/26/32	
	673254	1	Cable 25/26/32	
	673256	1	Cable 32	
	673255	1	Cable 25/26/32	
	402098	1	Holder	



Structure

Pos.	Part no.	Quantity	Description	Specification
	673278	1	Cable 18	
	673279	1	Cable 19	
	673285	1	Cable 42/43	
	673286	1	Cable 12/13	
	673283	1	Cable 25	
	673284	1	Cable 26	
	673276	1	Cable 23	
	673280	1	Cable 27	
	673281	1	Cable 36	
	500065	1	Screw	M10x16 8.8 FZB
	503057	1	Washer	NL10



## Interface

Structure 043626				
Pos.	Part no.	Quantity	Description	Specification
1	402205	1	Terminal box	
2	018840	1	Bracket	
3	517004	1	Circlip	
4	501015	4	Screw	M4x16 12.9
5	501089	1	Screw	M10x25 12.9



## Interface cable list

Structure				
Pos.	Part no.	Quantity	Description	Specification
	673287	1	Cable 1	
	673288	1	Cable 2	
	673289	1	Cable 3	
	673290	1	Cable 4	
	673291	1	Cable 5	
	673292	1	Cable 7	
	673293	1	Cable 8	
	673294	1	Cable 9	
	673295	1	Cable 10	
	673300	1	Cable 14	
	673303	1	Cable 21	
	673304	1	Cable 20	
	673302	1	Cable 15/16/22	
	673296	1	Cable 6	
	673298	1	Cable 17	
	673297	1	Cable 6	True-Cut
	673299	1	Cable 17	True-Cut
	673306	1	Cable 34	
	673301	1	Cable 12/13	
	014221	1	Bracket	
	622061	1	Clamp	
	501045	1	Screw	M6x16 12.9
	503065	1	Washer	NL6
	673311	1	Cable 25/26/32	
	673254	1	Cable 25/26/32	
	673256	1	Cable 32	
	673255	1	Cable 25/26/32	
	402098	1	Holder	
	500065	1	Screw	M10x16 8.8 FZB
	503057	1	Washer	NL10
	673307	1	Cable 18	
	673308	1	Cable 19	
	673312	1	Cable 25	



Structure

Pos.	Part no.	Quantity	Description	Specification
	673313	1	Cable 26	
	673305	1	Cable 23	
	673309	1	Cable 27	
	673310	1	Cable 36	



## Hose kits

**Hose kit Log Max 6000V**  
**Crane kit Ecolog Forester**

From Head no. **xxxxxx**

**Hose kits**

Language **en**

Part No. **644612/xxxxxx**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note			
		Connection 1				Part no.	Size				
		Fitting 1	Fitting 2			Cut	Pres. Rating				
644682	Swivel	ORFS -04 90		601522	601125	1446 mm	1/4"	615071			
	Stump treatm.	ORFS -04 Str.		601521	601125	1400 mm	450 bar	EN 857 2SC			
649127	Crane	BSP -04 Str.		601150	601125	3650 mm	1/4"	615071			
	Stump treatm. 1	ORFS -04 Str.		601521	601125	3650 mm	450 bar	EN 857 2SC			
649134	Crane	BSP -04 Str.		601150	601125		1/4"	615071			
	Adapter Grease	ORFS -04 Str.		601521	601125	3650 mm	450 bar	EN 857 2SC			
649129	Crane	BSP -08 Str.		601152	601130	3340 mm	1/2"	615035			
	R. Manifold S1 DR3	ORFS -12 Str.		601565	601130	3340 mm	470 bar	EN 857 2SC			
649131	Crane	BSP -12 Str.		601153	601371	3620 mm	3/4"	615083			
	Bracket frame	ORFS -12 Str.		601284	601371	3620 mm	345 bar	SAE 100 R13			
649131	Crane	BSP -12 Str.		601153	601371	3620 mm	3/4"	615083			
	Bracket frame	ORFS -12 Str.		601284	601371	3620 mm	345 bar	SAE 100 R13			
649128	Crane	BSP -16 Str.		601157	601142	3300 mm	1"	615084			
	R. Manifold S1 P	ORFS -16 Str.		601277	601142	3300 mm	345 bar	SAE 100 R13			
649130	Crane	BSP -16 Str.		601157	601142	3300 mm	1"	615084			
	R. Manifold S1 T	ORFS -16 Str.		601277	601142	3300 mm	345 bar	SAE 100 R13			

# Hose kit Log Max 6000V

## Crane kit Ecolog

From Head no. 160919

Language en

Part No. 644615/160919

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note
	Connection 1		Fitting 1	Fitting 2			Part no.	Standard	
	Part no.	Part no.					Cut	Pres.	
644682	Swivel	ORFS -04 90	ORFS -04 90	ORFS -04 Str.	601522	601125	1446 mm	1/4"	615071
649127	Crane	BSP -04 Str.	BSP -04 Str.	ORFS -04 Str.	601521	601125	1400 mm	450 bar	EN 857 2SC
649134	Crane	BSP -04 Str.	BSP -04 Str.	ORFS -04 Str.	601150	601125	3650 mm	1/4"	615071
	Adapter Grease	ORFS -04 Str.	ORFS -04 Str.	BSP -08 Str.	601521	601125	3650 mm	450 bar	EN 857 2SC
649129	Crane	BSP -08 Str.	BSP -08 Str.	ORFS -12 Str.	601152	601130	3340 mm	1/2"	615035
	R. Manifold S1 DR3	ORFS -12 Str.	ORFS -12 Str.	ORFS -12 Str.	601565	601130	3340 mm	470 bar	EN 857 2SC
649133	Crane	BSP -12 Str.	BSP -12 Str.	ORFS -16 Str.	601153	601371	3620 mm	3/4"	615083
	Bracket frame	ORFS -16 Str.	ORFS -16 Str.	BSP -16 Str.	601587	601371	3620 mm	345 bar	SAE 100 R13
649128	Crane	BSP -16 Str.	BSP -16 Str.	ORFS -16 Str.	601157	601142	3300 mm	1"	615084
	R. Manifold S1 P	ORFS -16 Str.	ORFS -16 Str.	ORFS -16 Str.	601277	601142	3300 mm	345 bar	SAE 100 R13
649130	Crane	BSP -16 Str.	BSP -16 Str.	ORFS -16 Str.	601157	601142	3300 mm	1"	615084
	R. Manifold S1 T	ORFS -16 Str.	ORFS -16 Str.	ORFS -16 Str.	601277	601142	3300 mm	345 bar	SAE 100 R13

**Hose kit Log Max 6000V**  
**General Hose Kit**  
From Head no. 161031

Language **en**

Part No. **648000/161031**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Log Max 6000V  
Spare part manual

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note	
		Connection 1		Part no.	Total	Size	Part no.		
		Fitting 1	Fitting 2						
615050	Hose guard				650 mm	1"			
615051	Felling link				1300 mm	2"			
648029	Hose guard								
	Roller motor								
648031	Meas. Wheel cyl. Grease ORFS -04 45	ORFS -04 45	601525	601539	190 mm	1/4"	615091	265°	
	Grease point frame	ORFS -04 90	601522	601539	130 mm	290 bar	EN 857 1SC		
648034	Grease hole frame	BSP -02 Banjo	601531	601539	225 mm	1/4"	615091	50°	
	Lo. Knife cyl.	BSP -02 Banjo	601531	601539	170 mm	290 bar	EN 857 1SC		
648065	Easy Greasy	ORFS -04 45	601525	601539	600 mm	1/4"	615091	185°	
	Saw motor R	ORFS -04 90	601522	601539	530 mm	290 bar	EN 857 1SC		
648026	Air bleed oil tank	ORFS -04 90	601522	601125	530 mm	1/4"	615071		
		BSP -04 Str. Ex.	601159	601125	470 mm	450 bar	EN 857 2SC		
648035	L. Manifold SM	ORFS -04 90	601522	601125	180 mm	1/4"	615071		
	Test Point SM	ORFS -04 Str.	601521	601125	130 mm	450 bar	EN 857 2SC		
648038	R. Manifold S1 P2	ORFS -04 90	601522	601125	210 mm	1/4"	615071		
	L. Manifold PS	ORFS -04 90	601522	601125	160 mm	450 bar	EN 857 2SC		
648056	R. Manifold PS	ORFS -04 90	601522	601125	445 mm	1/4"	615071	95°	
	Meas. Wheel cyl. B	ORFS -04 90	601522	601125	390 mm	450 bar	EN 857 2SC		
648032	R. Manifold S2 B	ORFS -06 90	601542	601121	1575 mm	3/8"	615072		
	Lower Knife cyl. B	ORFS -06 Str.	601541	601121	1510 mm	385 bar	EN 857 2SC		

# Hose kit Log Max 6000V

## General Hose Kit

From Head no. 161031

Language en

Part No. 648000/161031

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Log Max 6000V  
 Spare part manual

Hose kits

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note	
	Connection 1		Fitting 1	Fitting 2			Part no.	Size	Part no.	
	Part no.	Part no.					Cut	Pres.	Rating	
648033	R. Manifold S2 A	ORFS -06 90	ORFS -06 90	601542	601121	1310 mm	3/8"		615072	30°
	Lower Knife cyl. A	ORFS -06 90	601542	601121	1240 mm	385 bar		EN 857	2SC	
648039	R. Manifold S5 B	ORFS -06 45	601545	601121	390 mm	3/8"		615072		60°
	R. Knife cyl. B	ORFS -06 90	601542	601121	330 mm	385 bar		EN 857	2SC	
648040	R. Manifold S5 B	ORFS -06 90	601542	601121	495 mm	3/8"		615072		170°
	L. Knife cyl. B	ORFS -06 90	601542	601121	420 mm	385 bar		EN 857	2SC	
648041	R. Manifold S5 A	ORFS -06 Str.	601541	601121	545 mm	3/8"		615072		
	L. Knife cyl. A	ORFS -06 90	601542	601121	480 mm	385 bar		EN 857	2SC	
648042	R. Manifold S5 A	ORFS -06 90	601542	601121	870 mm	3/8"		615072		310°
	R. Knife cyl. A	ORFS -06 90	601542	601121	790 mm	385 bar		EN 857	2SC	
648043	L. Manifold A33	ORFS -06 45	601545	601121	1010 mm	3/8"		615072		
	Felling link cyl. A	ORFS -06 Str.	601541	601121	950 mm	385 bar		EN 857	2SC	
648044	L. Manifold B3	ORFS -06 45	601545	601121	1110 mm	3/8"		615072		
	Felling link cyl. B	ORFS -06 Str.	601541	601121	1050 mm	385 bar		EN 857	2SC	
648045	L. Manifold B43	ORFS -06 Str.	601541	601121	415 mm	3/8"		615072		
	Accumulator	ORFS -06 90	601542	601121	350 mm	385 bar		EN 857	2SC	
648046	L. Manifold A42	ORFS -06 90	601542	601121	1005 mm	3/8"		615072		
	L. Roller arm cyl. B	ORFS -06 Str.	601541	601121	940 mm	385 bar		EN 857	2SC	
648047	L. Manifold B42	ORFS -06 90	601542	601121	835 mm	3/8"		615072		240°
	L. Roller arm cyl. A	ORFS -06 90	601542	601121	760 mm	385 bar		EN 857	2SC	
648048	L. Manifold B41	ORFS -06 90	601542	601121	1040 mm	3/8"		615072		260°
	R. Roller arm cyl. A	ORFS -06 90	601542	601121	960 mm	385 bar		EN 857	2SC	

## Hose kit Log Max 6000V

### General Hose Kit

From Head no. 161031

Language **en**

Part No. **648000/161031**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Log Max 6000V  
Spare part manual

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note			
	Connection 1		Fitting 1				Part no.	Size				
	Connection 2	Fitting 2	Fitting 1	Fitting 2								
648049	L. Manifold A43	ORFS -06 90	ORFS -06 Str.	601542	601121	1365 mm	3/8"	615072				
648052	R. Roller arm cyl. B	BSP -06 Banjo	601148	601121	610 mm	3/8"	615072	15°				
	R. Roller motor 1	ORFS -06 90	601543	601121	550 mm	385 bar	EN 857 2SC					
648055	R. Manifold S1 DR2	ORFS -06 45	601545	601121	1070 mm	3/8"	615072	195°				
648057	L. Roller motor 1	BSP -06 90	601542	601121	990 mm	385 bar	EN 857 2SC					
	Accumulator	BSP -06 90	601161	601121	220 mm	385 bar	EN 857 2SC					
648058	Accumulator	BSP -06 90	601161	601121	335 mm	3/8"	615072	205°				
	Meas. Wheel cyl. A	BSP -06 45	601176	601121	250 mm	385 bar	EN 857 2SC					
648059	L. Manifold DR	ORFS -06 Str.	601541	601121	390 mm	3/8"	615072					
	R. Manifold S1 DR2	ORFS -06 45	601545	601121	320 mm	385 bar	EN 857 2SC					
648130	Meas. Wheel Arm	ORFS -06 90	601542	601121	881 mm	3/8"	615072					
	Bracket frame			601121	850 mm	385 bar	EN 857 2SC					
648036	R. Manifold S1 PR	ORFS -08 Str.	601099	601122	290 mm	1/2"	615073					
	L. Manifold P3	ORFS -08 90	601098	601122	210 mm	345 bar	EN 857 2SC					
648037	R. Manifold S1 T3	ORFS -08 Str.	601099	601122	295 mm	1/2"	615073					
	L. Manifold T3	ORFS -08 90	601098	601122	220 mm	345 bar	EN 857 2SC					
648050	R. Manifold S3 B	ORFS -10 90	601571	601579	800 mm	5/8"	615037	140°				
	R. Roller motor L	ORFS -10 90	601571	601579	705 mm	410 bar	EN 857 2SC					
648051	R. Manifold S3 A	ORFS -10 90	601571	601579	800 mm	5/8"	615037	225°				
	R. Roller motor R	ORFS -10 90	601571	601579	705 mm	410 bar	EN 857 2SC					

# Hose kit Log Max 6000V

## General Hose Kit

From Head no. 161031

Language **en**

Part No. **648000/161031**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note
	Connection 1	Connection 2	Fitting 1	Fitting 2			Part no.	Total	
648053	R. Manifold S4 B	ORFS -10 90	ORFS -10 90	601571	601579	1220 mm	5/8"	615037	215°
	L. Roller motor R	ORFS -10 90	ORFS -10 90	601571	601579	1120 mm	410 bar	EN 857 2SC	
648054	R. Manifold S4 A	ORFS -10 90	ORFS -10 90	601571	601579	1230 mm	5/8"	615037	150°
	L. Roller motor L	ORFS -10 90	ORFS -10 90	601571	601579	1130 mm	410 bar	EN 857 2SC	

## Hose kit Log Max 6000V

### Saw 218 - 19cc

From Head no. 161001

Language **en**

Part No. **648001/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Log Max 6000V  
 Spare part manual

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note		
	Connection 1		Fitting 1				Part no.	Size			
	Connection 2		Fitting 2				Cut	Pres. Rating	Standard		
648078	Grease hole frame	ORFS -04 Str.	ORFS -04 Str.	601521	601539	335 mm	1/4"		615091		
648079	Saw motor T	ORFS -04 90	ORFS -04 90	601522	601539	280 mm	290 bar	EN 857 1SC			
648080	L. Manifold A1	ORFS -06 45	ORFS -06 45	601545	601121	1955 mm	3/8"		615072		
	Saw Cyl. B	ORFS -06 Str.	ORFS -06 Str.	601541	601121	1880 mm	385 bar	EN 857 2SC			
648081	L. Manifold B1	ORFS -06 45	ORFS -06 45	601545	601121	1770 mm	3/8"		615072		
	Saw Cyl. A	ORFS -06 Str.	ORFS -06 Str.	601541	601121	1700 mm	385 bar	EN 857 2SC			
648082	R. Manifold S1 DR4	ORFS -06 90	ORFS -06 90	601542	601121	1895 mm	3/8"		615072		
	Saw motor D	ORFS -06 90	ORFS -06 90	601542	601121	1820 mm	385 bar	EN 857 2SC			
648083	R. Manifold S1 Psaw	ORFS -12 45°	ORFS -12 45°	601377	601371	770 mm	3/4"		615005		
	Saw motor valve P	ORFS -12 Str.	ORFS -12 Str.	601284	601371	665 mm	375 bar	EN 857 2SC			
648084	R. Manifold S1 T4	ORFS -12 45°	ORFS -12 45°	601377	601123	1770 mm	3/4"		615074		
	Saw motor B	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1670 mm	280 bar	EN 857 2SC			
	Saw motor valve SP	ORFS -12 45°	ORFS -12 45°	601377	601371	535 mm	3/4"		615005		
	Saw motor A	ORFS -12 Str.	ORFS -12 Str.	601284	601371	430 mm	375 bar	EN 857 2SC			

# Hose kit Log Max 6000V

## Saw 218 True-Cut

From Head no. 161001

Language **en**

Part No. **648002/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note
	Connection 1		Fitting 1	Fitting 2			Part no.	Size	Part no.
	Part no.	Part no.	Cut	Pres.			Standard	Hose guard	
648078	Grease hole frame	ORFS -04 Str.	ORFS -04 Str.	601521	601539	335 mm	1/4"	615091	
648085	Saw motor T	ORFS -04 90	ORFS -04 90	601522	601539	280 mm	290 bar	EN 857 1SC	
648086	Saw motor DR	ORFS -06 90	ORFS -06 90	601542	601121	930 mm	3/8"	615072	190°
	SBR DR2	ORFS -06 45	ORFS -06 45	601545	601121	850 mm	385 bar	EN 857 2SC	
648087	Saw motor F	ORFS -06 90	ORFS -06 90	601542	601121	2025 mm	3/8"	615072	
	Saw bar feed cyl. B	ORFS -06 Str.	ORFS -06 Str.	601541	601121	1960 mm	385 bar	EN 857 2SC	
648088	SBR A	ORFS -06 45	ORFS -06 45	601545	601121	1400 mm	3/8"	615072	
	Saw bar feed cyl. A	ORFS -06 Str.	ORFS -06 Str.	601541	601121	1330 mm	385 bar	EN 857 2SC	
648089	SBR E	ORFS -06 45	ORFS -06 45	601545	601121	465 mm	3/8"	615072	
	Saw motor E	ORFS -06 Str.	ORFS -06 Str.	601541	601121	400 mm	385 bar	EN 857 2SC	
	SBR DR1	ORFS -06 Str.	ORFS -06 Str.	601541	601121	980 mm	3/8"	615072	
648090	R. Manifold DR4	ORFS -06 90	ORFS -06 90	601542	601121	910 mm	385 bar	EN 857 2SC	
	R. Manifold S1 T4	ORFS -12 45°	ORFS -12 45°	601377	601123	1625 mm	3/4"	615074	
	Saw motor B	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1520 mm	280 bar	EN 857 2SC	
648091	R. Manifold S1 Psaw	ORFS -12 45°	ORFS -12 45°	601377	601371	1480 mm	3/4"	615005	
	Saw motor A	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1380 mm	375 bar	EN 857 2SC	

## Hose kit Log Max 6000V

Saw 318 - 19cc

From Head no. 161001

Language **en**

Part No. **648003/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Log Max 6000V  
Spare part manual

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note	
		Connection 1		Part no.	Total	Size	Part no.		
		Fitting 1	Fitting 2			Cut	Pres. Rating		
648078	Grease hole frame	ORFS -04	Str.	601521	601539	335 mm	1/4"	615091	
	Saw motor T	ORFS -04	90	601522	601539	280 mm	290 bar	EN 857 1SC	
648093	Red. Manifold PCT	ORFS -04	90	601522	601539	360 mm	1/4"	615091	
	Saw motor S	ORFS -04	90	601522	601539	300 mm	290 bar	EN 857 1SC	
648095	R. Manifold S1 PS1	ORFS -04	45	601525	601539	1510 mm	1/4"	615091	
	Red. Manifold PS	ORFS -04	45	601525	601539	1430 mm	290 bar	EN 857 1SC	
648079	L. Manifold A1	ORFS -06	45	601545	601121	1955 mm	3/8"	615072	
	Saw Cyl. B	ORFS -06	Str.	601541	601121	1880 mm	385 bar	EN 857 2SC	
648080	L. Manifold B1	ORFS -06	45	601545	601121	1770 mm	3/8"	615072	
	Saw Cyl. A	ORFS -06	Str.	601541	601121	1700 mm	385 bar	EN 857 2SC	
648092	Red. Manifold DR2	ORFS -06	90	601542	601121	175 mm	3/8"	615072 270°	
	Saw motor D	ORFS -06	90	601542	601121	100 mm	385 bar	EN 857 2SC	
648094	R. Manifold S1 DR4	ORFS -06	90	601542	601121	1680 mm	3/8"	615072	
	Red. Manifold DR1	ORFS -06	Str.	601541	601121	1610 mm	385 bar	EN 857 2SC	
648096	Saw motor valve SP	ORFS -12	45°	601377	601371	430 mm	3/4"	615005	
	Saw motor A	ORFS -12	Str.	601284	601371	430 mm	375 bar	EN 857 2SC	
648097	R. Manifold S1 T4	ORFS -12	45°	601377	601123	1770 mm	3/4"	615074	
	Saw motor B	ORFS -12	Str.	601284	601123	1670 mm	280 bar	EN 857 2SC	
648098	R. Manifold S1 Psaw	ORFS -12	45°	601377	601371	770 mm	3/4"	615005	
	Saw motor valve P	ORFS -12	Str.	601284	601371	665 mm	375 bar	EN 857 2SC	

# Hose kit Log Max 6000V

## Saw 318 True-Cut

From Head no. 161001

Language **en**

Part No. **648004/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOPI = WEO Plug-In

Log Max 6000V  
 Spare part manual

Hose kits

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note			
	Connection 1		Fitting 1				Part no.	Size	Part no.			
	Connection 2		Fitting 2				Cut	Pres. Rating	Standard	Hose guard		
648078	Grease hole frame	ORFS -04 Str.	ORFS -04 Str.	601521	601539	335 mm	1/4"		615091			
648093	Saw motor T	ORFS -04 90	ORFS -04 90	601522	601539	280 mm	290 bar	EN 857 1SC				
648095	Red. Manifold PCT	ORFS -04 90	ORFS -04 90	601522	601539	360 mm	1/4"		615091			
648086	Saw motor S	ORFS -04 90	ORFS -04 90	601522	601539	300 mm	290 bar	EN 857 1SC				
648087	R. Manifold S1 PS1	ORFS -04 45	ORFS -04 45	601525	601539	1510 mm	1/4"		615091			
	Red. Manifold PS	ORFS -04 45	ORFS -04 45	601525	601539	1430 mm	290 bar	EN 857 1SC				
	Saw motor F	ORFS -06 90	ORFS -06 90	601542	601121	2025 mm	3/8"		615072			
	Saw bar feed cyl. B	ORFS -06 Str.	ORFS -06 Str.	601541	601121	1960 mm	385 bar	EN 857 2SC				
	SBR A	ORFS -06 45	ORFS -06 45	601545	601121	1400 mm	3/8"		615072			
	Saw bar feed cyl. A	ORFS -06 Str.	ORFS -06 Str.	601541	601121	1330 mm	385 bar	EN 857 2SC				
648088	SBR E	ORFS -06 45	ORFS -06 45	601545	601121	465 mm	3/8"		615072			
	Saw motor E	ORFS -06 Str.	ORFS -06 Str.	601541	601121	400 mm	385 bar	EN 857 2SC				
648089	SBR DR1	ORFS -06 Str.	ORFS -06 Str.	601541	601121	980 mm	3/8"		615072			
	R. Manifold DR4	ORFS -06 90	ORFS -06 90	601542	601121	910 mm	385 bar	EN 857 2SC				
648092	Red. Manifold DR2	ORFS -06 90	ORFS -06 90	601542	601121	175 mm	3/8"		615072	270°		
	Saw motor D	ORFS -06 90	ORFS -06 90	601542	601121	100 mm	385 bar	EN 857 2SC				
648099	SBR DR2	ORFS -06 45	ORFS -06 45	601545	601121	605 mm	3/8"		615072			
	Red. Manifold DR1	ORFS -06 Str.	ORFS -06 Str.	601541	601121	540 mm	385 bar	EN 857 2SC				
648090	R. Manifold S1 T4	ORFS -12 45°	ORFS -12 45°	601377	601123	1625 mm	3/4"		615074			
	Saw motor B	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1520 mm	280 bar	EN 857 2SC				
648091	R. Manifold S1 Psaw	ORFS -12 45°	ORFS -12 45°	601377	601371	1480 mm	3/4"		615005			
	Saw motor A	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1380 mm	375 bar	EN 857 2SC				

## Hose kit Log Max 6000V

**Saw 318 - 30cc**

From Head no. 161001

Language **en**

Part No. **648005/161001**

V. 220420

## Hose kits

Log Max 6000V

Spare part manual

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note	
		Connection 1		Part no.	Total	Size	Part no.		
		Fitting 1	Fitting 2			Cut	Pres. Rating		
648078	Grease hole frame	ORFS -04	Str.	601521	601121	335 mm	1/4"	615091	
	Saw motor T	ORFS -04	90	601522	601539	280 mm	290 bar	EN 857 1SC	
648093	Red. Manifold PCT	ORFS -04	90	601522	601539	360 mm	1/4"	615091	
	Saw motor S	ORFS -04	90	601522	601539	300 mm	290 bar	EN 857 1SC	
648095	R. Manifold S1 PS1	ORFS -04	45	601525	601539	1510 mm	1/4"	615091	
	Red. Manifold PS	ORFS -04	45	601525	601539	1430 mm	290 bar	EN 857 1SC	
648079	L. Manifold A1	ORFS -06	45	601545	601121	1955 mm	3/8"	615072	
	Saw Cyl. B	ORFS -06	Str.	601541	601121	1880 mm	385 bar	EN 857 2SC	
648080	L. Manifold B1	ORFS -06	45	601545	601121	1770 mm	3/8"	615072	
	Saw Cyl. A	ORFS -06	Str.	601541	601121	1700 mm	385 bar	EN 857 2SC	
648094	R. Manifold S1 DR4	ORFS -06	90	601542	601121	1680 mm	3/8"	615072	
	Red. Manifold DR1	ORFS -06	Str.	601541	601121	1610 mm	385 bar	EN 857 2SC	
648102	Red. Manifold DR2	ORFS -06	90	601542	601121	167 mm	3/8"	615072	
	Saw motor D	ORFS -06	90	601542	601121	95 mm	385 bar	EN 857 2SC	
648098	R. Manifold S1 Psaw	ORFS -12	45°	601377	601371	770 mm	3/4"	615005	
	Saw motor valve P	ORFS -12	Str.	601284	601371	665 mm	375 bar	EN 857 2SC	
648100	R. Manifold S1 T4	ORFS -12	45°	601377	601123	1720 mm	3/4"	615074	
	Saw motor B	ORFS -12	Str.	601284	601123	1610 mm	280 bar	EN 857 2SC	
648101	Saw motor valve SP	ORFS -12	45°	601377	601371	495 mm	3/4"	615005	
	Saw motor A	ORFS -12	Str.	601284	601371	390 mm	375 bar	EN 857 2SC	

# Hose kit Log Max 6000V

## Hydraulic uppe knife

From Head no. 161001

Language **en**

Part No. **648006/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note			
	Connection 1		Fitting 1				Part no.	Size	Part no.			
	Connection 2	Fitting 2	Fitting 1	Fitting 2								
648027	L. Manifold T4	ORFS -04 90	ORFS -04 90	ORFS -04 Str.	601522	601125	690 mm	1/4"	615071			
	U. knife Cyl. A	ORFS -04 Str.	ORFS -04 Str.	ORFS -04 Str.	601521	601125	635 mm	450 bar	EN 857 2SC			
648028	L. Manifold A	ORFS -04 90	ORFS -04 90	ORFS -04 Str.	601522	601125	490 mm	1/4"	615071			
	U. knife Cyl. B	ORFS -04 Str.	ORFS -04 Str.	ORFS -04 Str.	601521	601125	435 mm	450 bar	EN 857 2SC			

Language **en****Part No.** 648007/161001

V. 220420

## Hose kit Log Max 6000V

### Stump treatment Saw 218

From Head no. 161001

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP1 = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note			
		Connection 1				Part no.	Part no.				
		Fitting 1	Fitting 2								
648062	Stump treatm. 1	ORFS -04 Str.		601521	601125	1460 mm	1/4"	615071			
	Swivel	ORFS -04 90		601522	601125	1400 mm	450 bar	EN 857 2SC			
648063	Swivel	ORFS -04 90		601522	601125	640 mm	1/4"	615071			
	Saw unit	ORFS -04 90		601522	601125	580 mm	450 bar	EN 857 2SC 615060 535 mm			

## Hose kit Log Max 6000V Stump treatment Saw 318

From Head no. 161001

Language **en**

Part No. **648008/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note	
		Connection 1		Part no.	Total	Size	Part no.		
		Fitting 1	Fitting 2						
648061	Swivel	ORFS -04 90		601522	601125	640 mm	1/4"	615071 180°	
	Saw unit	ORFS -04 45		601525	601125	580 mm	450 bar	EN 857 2SC 615060 535 mm	
648062	Stump treatm. 1	ORFS -04 Str.		601521	601125	1460 mm	1/4"	615071	
	Swivel	ORFS -04 90		601522	601125	1400 mm	450 bar	EN 857 2SC	

## Hose kit Log Max 6000V

## Color marking equipment

From Head no. 161001

## Hose kits

Language **en**

Part No. **648010/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Log Max 6000V  
Spare part manual

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note			
		Connection 1				Part no.	Size				
		Fitting 1	Fitting 2			Cut	Pres. Rating				
615055	Hose guard				2000 mm	1/2"					
648020	L. Manifold PM	ORFS -04 Str.		601521	601539	1315 mm	1/4"	615091			
	Color Pump P	ORFS -04 90		601522	601539	1260 mm	290 bar	EN 857 1SC			
648021	R. Manifold S1 DR5	ORFS -04 90		601522	601539	2070 mm	1/4"	615091 310°			
	Color Pump DR	ORFS -04 90		601522	601539	2010 mm	290 bar	EN 857 1SC			
648022	L. Color tank	ORFS -04 Str.		601521	601539	2145 mm	1/4"	615091			
	Color Pump C1T	ORFS -04 90		601522	601539	2090 mm	290 bar	EN 857 1SC			
648023	R. Color tank	ORFS -04 45		601525	601539	1945 mm	1/4"	615091 145°			
	Color Pump C2T	ORFS -04 90		601522	601539	1880 mm	290 bar	EN 857 1SC			
648024	Color Pump C1P	ORFS -04 90		601522	601539	890 mm	1/4"	615091 25°			
	Color Block 1	ORFS -04 45		601525	601539	820 mm	290 bar	EN 857 1SC			
648025	Color Pump C2P	ORFS -04 90		601522	601539	840 mm	1/4"	615091 25°			
	Color Block 2	ORFS -04 45		601525	601539	770 mm	290 bar	EN 857 1SC			

# Hose kit Log Max 6000V

## Multisteaming Kit

From Head no. 161001

Language en

Part No. 648011/161001

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note	
	Connection 1		Fitting 1	Fitting 2			Part no.	Total	Size	
	Connection 2						Cut	Pres.	Rating	
648066	Manifold A	ORFS -06 90	ORFS -06 90	ORFS -06 Str.	601542	601121	775 mm	3/8"		615072
	L. Cyl. B	ORFS -06 90	ORFS -06 Str.	601541	601121	710 mm	385 bar	EN 857	2SC	
648067	Manifold B	ORFS -06 90	ORFS -06 90	BSP -06 Banjo	601542	601121	575 mm	3/8"		615072
	L. Cyl. A	BSP -06 90	BSP -06 Banjo	601148	601121	510 mm	385 bar	EN 857	2SC	
648068	Manifold A1	ORFS -06 90	ORFS -06 90	ORFS -06 Str.	601542	601121	655 mm	3/8"		615072
	R. Cyl. B	ORFS -06 Str.	ORFS -06 Str.	601541	601121	590 mm	385 bar	EN 857	2SC	
648069	Manifold B1	ORFS -06 90	ORFS -06 90	ORFS -06 Str.	601542	601121	425 mm	3/8"		615072
	R. Cyl. A	BSP -06 Banjo	BSP -06 Banjo	601148	601121	362 mm	385 bar	EN 857	2SC	
648070	R. Manifold S1 PM3	ORFS -06 90	ORFS -06 90	ORFS -06 Str.	601542	601121	2195 mm	3/8"		615072
	Manifold P	ORFS -06 Str.	ORFS -06 Str.	601541	601121	2130 mm	385 bar	EN 857	2SC	
648071	L. Manifold T5	ORFS -06 90	ORFS -06 90	ORFS -06 Str.	601542	601121	2770 mm	3/8"		615072
	Manifold T	ORFS -06 Str.	ORFS -06 Str.	601541	601121	2710 mm	385 bar	EN 857	2SC	

## Hose kit Log Max 6000V

### Multi-stemming Kit with Rotator control

From Head no. 161001

Language **en**Part No. **648012/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOPi = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note		
	Connection 1		Fitting 1				Part no.	Size			
	Connection 2		Fitting 2				Cut	Pres. Rating	Standard		
648070	R. Manifold S1	PM3	ORFS -06	90	601542	601121	2195 mm	3/8"	615072		
	Manifold P		ORFS -06	Str.	601541	601121	2130 mm	385 bar	EN 857 2SC		
648071	L. Manifold T5		ORFS -06	90	601542	601121	2770 mm	3/8"	615072		
	Manifold T		ORFS -06	Str.	601541	601121	2710 mm	385 bar	EN 857 2SC		
648072	Rotator B		ORFS -04	90	601522	601125	50 mm	1/4"	615071		
	Manifold RB		ORFS -04	90	601522	601125		450 bar	EN 857 2SC		
648073	Rotator A		ORFS -04	90	601522	601125	50 mm	1/4"	615071		
	Manifold RA		ORFS -04	90	601522	601125		450 bar	EN 857 2SC		
648074	Manifold AB2		ORFS -06	90	601542	601121	51 mm	3/8"	615072		
	L. Cyl. B		ORFS -06	Str.	601541	601121		385 bar	EN 857 2SC		
648075	Cyl. L. A		ORFS -06	90	601542	601121	62 mm	3/8"	615072		
	Manifold AA2		ORFS -06	90	601542	601121		385 bar	EN 857 2SC		
648076	Cyl. R. B		ORFS -06	90	601542	601121	51 mm	3/8"	615072		
	Manifold AB1		ORFS -06	Str.	601541	601121		385 bar	EN 857 2SC		
648077	Cyl. R. A		ORFS -06	90	601542	601121	62 mm	3/8"	615072		
	Manifold AA1		ORFS -06	90	601542	601121		385 bar	EN 857 2SC		

## Hose kit Log Max 6000V

### Rotator control standard felling link

From Head no. 161001

Language **en**

Part No. **648013/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note
	Connection 1		Fitting 1	Fitting 2			Part no.	Size	
	Part no.	Part no.	Cut	Pres.			Standard	Hose guard	
648103	L. Manifold A2	ORFS -04 90	601522	601125	2490	mm	1/4"	615071	Marked A 80°
	Rotator A	ORFS -04 90	601522	601125	2430	mm	450 bar	EN 857 2SC	
648104	L. Manifold B2	ORFS -04 90	601522	601125	2480	mm	1/4"	615071	Marked B 330°
	Rotator B	ORFS -04 90	601522	601125	2420	mm	450 bar	EN 857 2SC	
615055	Hose guard				600	mm	1/2"		
615049	Hose guard				1200	mm	3/4"		
	Hose guard								
615055	Hose guard				600	mm	1/2"		
615049	Hose guard				1300	mm	3/4"		

**Hose kit Log Max 6000V**  
**Rotator control reinforced felling link**

From Head no. 161001

Language **en**Part No. **648014/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note			
		Connection 1				Part no.	Size				
		Fitting 1	Fitting 2			Cut	Pres. Rating				
648117	L. Manifold A2	ORFS -04 90	ORFS -04 90	601522	601125	2570 mm	1/4"	615071 80° Marked A			
	Rotator A	ORFS -04 90	ORFS -04 90	601522	601125	2510 mm	450 bar	EN 857 2SC			
648118	L. Manifold B2	ORFS -04 90	ORFS -04 90	601522	601125	2560 mm	1/4"	615071 330° Marked B			
	Rotator B	ORFS -04 90	ORFS -04 90	601522	601125	2500 mm	450 bar	EN 857 2SC			
615055	Hose guard					600 mm	1/2"				
615049	Hose guard					1300 mm	3/4"				
615055	Hose guard					600 mm	1/2"				
615049	Hose guard					1400 mm	3/4"				

**Hose kit Log Max 6000V**  
**Universal kit**  
From Head no. 161001

Language **en**

Part No. **648015/161001**

V. 220420

Crimp. = Crimp diameter | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type	Note				
	Connection 1		Fitting 1									
	Connection 2		Fitting 2	Part no.								
649128	Crane	BSP	-16 Str.	601157	601142	3300 mm	1"	615084 Marked P				
	R. Manifold S1 P	ORFS	-16 Str.	601277	601142	3300 mm	345 bar	SAE 100 R13				
649129	Crane	BSP	-08 Str.	601152	601130	3340 mm	1/2"	615035 Marked DR				
	R. Manifold S1 DR3	ORFS	-12 Str.	601565	601130	3340 mm	470 bar	EN 857 2SC				
649130	Crane	BSP	-16 Str.	601157	601142	3300 mm	1"	615084 Marked T				
	R. Manifold S1 T	ORFS	-16 Str.	601277	601142	3300 mm	345 bar	SAE 100 R13				
649133	Crane	BSP	-12 Str.	601153	601371	3620 mm	3/4"	615083 Marked EL				
	Bracket frame	ORFS	-16 Str.	601587	601371	3620 mm	345 bar	SAE 100 R13				

## Hose kit Log Max 6000V

### Crane kit Rottne

From Head no. 161152

Language **en**

Part No. **648017/161152**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOPi = WEO Plug-In

Log Max 6000V  
 Spare part manual

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note	
		Connection 1		Part no.	Total	Size	Part no.		
		Fitting 1	Fitting 2			Cut	Pres. Rating		
647917	Swivel	BSP -16 Str.		601157	601142	1"	615084	Marked P	
	Crane	SAE6 -20 Str.		601391	601594	640 mm	345 bar	SAE 100 R13	
647919	Swivel	BSP -16 Str.		601157	601142	1"	615084	Marked T	
	Crane	SAE3 -20 Str.		601392	601594	660 mm	345 bar	SAE 100 R13	
647921	Swivel	BSP -08 Str.		601152	601130	1/2"	615035	Marked DR	
	Crane	SAE3 -12 Str.		601393	601130	700 mm	470 bar	EN 857 2SC	
647923	Harvester head	ORFS -16 Str.		601277	601142	1"	615084	Marked P	
	Swivel	BSP -16 Str.		601157	601142	2990 mm	345 bar	SAE 100 R13	
647924	Harvester head	ORFS -16 Str.		601277	601142	1"	615084	Marked T	
	Swivel	BSP -16 Str.		601157	601142	2990 mm	345 bar	SAE 100 R13	
647925	Harvester head	ORFS -12 Str.		601565	601130	1/2"	615035	Marked DR	
	Swivel	BSP -08 Str.		601152	601130	3050 mm	470 bar	EN 857 2SC	

## Hose kit Log Max 6000V

### Miscellaneous hoses

From Head no. XXXXXX

Language en

Part No. 648019/XXXXXX

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note	
	Connection 1		Fitting 1	Part no.			Total	Size	Part no.	
	Connection 2		Fitting 2	Part no.			Cut	Pres.	Rating	
648064	Adapter Grease	ORFS -04	Str.	601521	601125	1760 mm	1/4"		615071	Grease lubrication
	Saw motor R	ORFS -04	90	601522	601125	1700 mm	450 bar	EN 857	2SC	
648129	Protective hose					850 mm	1/4"		615091	Find End, Laser
	Find End				601125	850 mm	290 bar	EN 857	1SC	
648131	PS L. Manifold	ORFS -04	90	601522	601125	462 mm	1/4"		615071	Filter kit
	Filter	BSP -04	Str.	601150	601125	400 mm	450 bar	EN 857	2SC	
648132	PS R. Manifold	ORFS -04	90	601522	601125	312 mm	1/4"		615071	Filter kit
	Filter	BSP -04	Str.	601150	601125	250 mm	450 bar	EN 857	2SC	

## Hose kit Log Max 6000V

### HX30 Standard felling link

From Head no. 161xxx

Language **en**  
**Part No. 648201/161xxx**  
 V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOPi = WEO Plug-In

<b>Connections</b>	<b>Fittings</b>		<b>Ferrules</b>	<b>Length</b>	<b>Hose type</b>		<b>Note</b>		
	<b>Connection 1</b>			<b>Total</b>	<b>Size</b>	<b>Part no.</b>			
	<b>Connection 2</b>	<b>Fitting 2</b>				<b>Cut</b>			
648133	L. Manifold A2	ORFS -04 90	601522	601125	50 mm	1/4"	615071	Marked A	
	Rotator R.	ORFS -04 90	601522	601125		450 bar	EN 857 2SC		
648134	L. Manifold B2	ORFS -04 90	601522	601125	50 mm	1/4"	615071	Marked B	
	Rotator L.	ORFS -04 90	601522	601125		450 bar	EN 857 2SC		
615049	Hose guard				0 mm	3/4"			
615049	Hose guard				0 mm	3/4"			

# Hose kit Log Max 6000V

## HX30 Reinforced felling link

From Head no. 161xxx

Language **en**

Part No. **648202/161xxx**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note			
	Connection 1		Fitting 1				Part no.	Size				
	Connection 2		Fitting 2									
648135	L. Manifold A2	ORFS -04 90	ORFS -04 90	601522	601125	50 mm	1/4"	615071	Marked A			
	Rotator R.	ORFS -04 90	ORFS -04 90	601522	601125		450 bar	EN 857 2SC				
648136	L. Manifold B2	ORFS -04 90	ORFS -04 90	601522	601125	50 mm	1/4"	615071	Marked B			
	Rotator L.	ORFS -04 90	ORFS -04 90	601522	601125		450 bar	EN 857 2SC				
615049	Hose guard					0 mm	3/4"					
615049	Hose guard					0 mm	3/4"					

## Hose kit Log Max 6000V

### HX30 Molded felling link

From Head no. 161xxx

Language **en**Part No. **648203/161xxx**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOPi = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note			
		Connection 1				Part no.	Size				
		Fitting 1	Fitting 2			Cut	Pres. Rating				
648137	L. Manifold A2	ORFS -04 90		601522	601125	50 mm	1/4"	615071			
	Rotator R.	ORFS -04 90		601522	601125		450 bar	Marked A			
648138	L. Manifold B2	ORFS -04 90		601522	601125	50 mm	1/4"	615071			
	Rotator L.	ORFS -04 90		601522	601125		450 bar	Marked B			
615049	Hose guard					0 mm	3/4"				

# Hose kit Log Max 6000V

## Hose holder Reinforced felling link

From Head no. 161xxx

Language **en**

Part No. **648204/161001**

V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
 Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
 SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections		Fittings		Ferrules	Length	Hose type		Note			
	Connection 1		Fitting 1				Part no.	Size				
	Connection 2		Fitting 2									
648107	Hose holder P	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1370 mm	1"	615084	Marked P			
648108	R. Manifold P	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1280 mm	345 bar	SAE 100 R13				
648127	Hose holder T	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1350 mm	1"	615084	Marked T			
648111	R. Manifold T	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1260 mm	345 bar	SAE 100 R13				
648112	Hose holder DR	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1389 mm	3/4"	615074	Marked DR			
648110	R. Manifold DR	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1300 mm	280 bar	EN 857 2SC				
648119	Hose holder Stump treat	ORFS -04 Str.	ORFS -04 Str.	601521	601125	1260 mm	1/4"	615071	Marked STUMP			
648126	Mani. Bracket Stump tre	ORFS -04 Str.	ORFS -04 Str.	601521	601125	1210 mm	450 bar	EN 857 2SC				
648112	Hose holder Grease	ORFS -04 Str.	ORFS -04 Str.	601521	601125	41 mm	1/4"	615071	Marked Grease			
648110	Mani. Bracket Grease	ORFS -04 Str.	ORFS -04 Str.	601521	601125		450 bar	EN 857 2SC				
648119	Hose holder EL1	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1290 mm	3/4"	615083	Marked EL Forester			
648126	Mani. Bracket EL1	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1210 mm	345 bar	SAE 100 R13				
648126	Hose holder EL2	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1350 mm	3/4"	615005	Marked EL Forester			
648126	Mani. Bracket EL2	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1270 mm	375 bar	EN 857 2SC				
648126	Hose holder EL1	ORFS -12 Str.	ORFS -12 Str.	601284	601371	1330 mm	3/4"	615083	Marked EL LM510			
648126	Mani. Bracket EL	ORFS -16 Str.	ORFS -16 Str.	601587	601371	1250 mm	345 bar	SAE 100 R13				

## Hose kit Log Max 6000V

### Hose holder Molded felling link

From Head no. 161001

Language **en**  
Part No. **648205/161001**  
V. 220420

Crimp. = Crimp diameter | cyl. = cylinder | Ex. = External | L. = Left | Lo. = Lower | Mani. = Manifold  
Meas. Wheel = Measuring Wheel | No. = number | Pres. Rating = Pressure Rating | Red. = Reducer | R. = Right  
SBR = Saw Bar Rescue | Str. = Straight | Stump treatm. = Stump treatment | Tot. = Total | U. = Upper | WEOP! = WEO Plug-In

Hose no.	Connections	Fittings		Ferrules	Length	Hose type		Note	
		Connection 1		Part no.	Total	Size	Part no.		
		Fitting 1	Fitting 2						
648120	Hose holder P	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1320 mm	1"	615084 Marked P	
	R. Manifold P	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1320 mm	345 bar	SAE 100 R13	
648121	Hose holder T	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1300 mm	1"	615084 Marked T	
	R. Manifold T	ORFS -16 Str.	ORFS -16 Str.	601595	601594	1300 mm	345 bar	SAE 100 R13	
648128	Hose holder DR	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1369 mm	3/4"	615074 Marked DR	
	R. Manifold DR	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1280 mm	280 bar	EN 857 2SC	
648123	Hose holder Stump treat	ORFS -04 Str.	ORFS -04 Str.	601521	601125	41 mm	1/4"	615071 Marked STUMP	
	Mani. Bracket Stump treat	ORFS -04 Str.	ORFS -04 Str.	601521	601125		450 bar	EN 857 2SC	
648124	Hose holder Grease	ORFS -04 Str.	ORFS -04 Str.	601521	601125	41 mm	1/4"	615071 Marked Grease	
	Mani. Bracket Grease	ORFS -04 Str.	ORFS -04 Str.	601521	601125		450 bar	EN 857 2SC	
648125	Hose holder ELL	ORFS -12 Str.	ORFS -12 Str.	601284	601123	1382 mm	3/4"	615074 Marked EL IM510	
	Mani. Bracket ELL	ORFS -16 Str.	ORFS -16 Str.	601587	601123	1290 mm	280 bar	EN 857 2SC	





**Λ0009**

**Log Max**

Spare part  
manual

161293-

en

Spare part  
manual

161293-

en